

2014 CONSUMER TIRE CATALOG



JETZON TIRE
Est. 1965 PERFORMANCE IN MOTION



PASSENGER

TIRE SIZE MATRIX..... 1 - 4

OPTIMUM TOURING ALL SEASON (T, H & V RATED)
 GENESIS LS T/H/V 5 - 6

TOURING ALL SEASON
 GRAND PRIX TOUR RS 7 - 8

PASSENGER ALL SEASON
 INNOVATION / CLASSIC ALL SEASON 9 - 10
 GREMAX 5000..... 11

PERFORMANCE ALL SEASON (S & T RATED)
 REVENGER GT 12

ULTRA HIGH PERFORMANCE ALL SEASON (V & W RATED)
 VELOZZA ZXV 13
 VELOZZA STX 14
 HIFLY 805 15

PERFORMANCE ALL SEASON (T, H & V RATED)
 DORAL SDL-A..... 16 - 17
 HIFLY 201 18 - 19

**SUV/
LIGHT TRUCK**

HIGHWAY ALL SEASON SUV/LT
 REVENGER HTS..... 20
 WILD SPIRIT SPORT HXT..... 21
 WILD SPIRIT SPORT H/T 22
 TRAILCUTTER HLT 23
 HIFLY HT601 24

COMMERCIAL HIGHWAY LT
 CREATION LT..... 25

MAXIMUM ALL TERRAIN SUV/LT
 TRAILCUTTER AT2 26 - 27

ALL POSITION/ALL TERRAIN SUV/LT
 RADIAL SUV 28
 REVENGER APR 29
 TRAIL GUIDE AP..... 30

VALUE ALL TERRAIN
 HIFLY AT601 31

MAXIMUM ON-OFF ROAD TRACTION
 TRAILCUTTER RTX..... 32
 TRAILCUTTER R/T 33

MAXIMUM OFF ROAD TRACTION
 MUD CLAW MT 34

**ADDITIONAL
TIRE PICTURES**

TIRE PICTURES
 ADDITIONAL PICTURES..... 35

JETZON DEALER..... 36
 ONLINE RESOURCES..... 37



For more than 45 years, Jetzon Tire has been an innovative leader in the replacement tire market and a key supplier to independent tire dealers throughout North America. The company's guiding principles of Performance, Engineering, Quality and Value continue to drive Jetzon Tire to remain a cornerstone of reliability and quality for our customers.

In addition to Jetzon passenger and SUV/LT tires, our dealers have access to a comprehensive range of high quality Commercial, Agricultural and Specialty tires, as well as supplemental products such as steel wheels, wheel weights, valve stems and tire equipment. We support all of our programs with informative point of sale material, attractive signage and superior customer service.

At Jetzon, our goal is to be your complete line supplier, with the products and programs you need and the service and support you deserve.

Every effort has been made to verify the accuracy of the listed specifications. TBC Corporation and TBC Wholesale cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.

Passenger Program Chart

RIM DIAMETER	ASPECT RATIO	MARKET SEGMENT	OPTIMUM TOURING	TOURING ALL SEASON	PASSENGER ALL SEASON		PERFORMANCE ALL SEASON	PERFORMANCE ALL SEASON T, H & V RATED	
		SIZE	GENESIS LS T/H/V	GRAND PRIX TOUR RS	INNOVATION	GREMAX 5000	REVENGER GT	DORAL SDL-A	HIFLY 201
12	55	155/80R12			77T				
13	80	155/80R13							79T
		165/80R13							
	70	175/70R13			82S			82S	82T
		185/70R13							86H
14	75	185/75R14			89S				
		195/75R14			92S	92S			
		205/75R14			95S	95S			
		215/75R14							
	70	175/70R14		84T	84S				84T
		185/70R14		88T	87S			88S	88H
		195/70R14		91T	90S			91S	91H
		205/70R14			93S			95S	95H
		215/70R14			96S		96T		
		225/70R14					98T		
	65	175/65R14		82T	81S			82H	82H
		185/65R14		86T	85S			86H	86H
		195/65R14						89T	
		185/60R14						82H	82H
		195/60R14						86H	86H
		235/60R14					96T		
15	80	165/80R15			87T				
	75	205/75R15			97S	97S			
		215/75R15			100S	100S			
		225/75R15			102S	102S			
		235/75R15			105S	105S			
	70	205/70R15	96T	96T	95S	96S		96S	96H
		215/70R15	98T	98T	98S	98S		98S	98H
		225/70R15				100S	100T		
		235/70R15					102T		
		255/70R15					108T		
	65	185/65R15	88T, 88H	88T				88H	88H
		195/65R15	91T, 91H	91T	91S			91H	91V
		205/65R15	94T, 94H	94T	92S			94H	94V
		215/65R15		96T	95S			96H	96H
	60	185/60R15	84T	84T				84T	84H
		195/60R15	88T, 88H	88H				88H	88V
		205/60R15	91H	91H				91H	91V
		215/60R15	94T	94H				94H	
		235/60R15					98T		
		245/60R15					100T		
		255/60R15					102T		
		275/60R15					107T		
	55	195/55R15		85V				85V	
		205/55R15							
	50	195/50R15							82V
		295/50R15					105S		
16	65	205/65R16		95H					
		215/65R16	98T	98T	96S			98T	98H
		225/65R16	100T	100T					
		235/65R16	103T	103T				103T	

Passenger Program Chart

RIM DIAMETER	ASPECT RATIO	MARKET SEGMENT	OPTIMUM TOURING	TOURING ALL SEASON	PASSENGER ALL SEASON	UHP		PERFORMANCE ALL SEASON T, H & V RATED	
		SIZE	GENESIS LS T/H/V	GRAND PRIX TOUR RS	INNOVATION	VELOZZA ZXV VELOZZA STX	HIFLY 805	DORAL SDL-A	HIFLY 201
	60	205/60R16	92T, 92H, 92V	92H				92H	92V
		215/60R16	95T, 95V	95T	95S			95H	95V
		225/60R16	98T, 98H	98T	97S			98H	98H
		235/60R16	100T	100H					
	55	195/55R16	87V					87V	
		205/55R16	91T, 91H	91H	91S	91W		91H	91V
		215/55R16	93H	97H			97V	93H	97V
		225/55R16	95H	99H			99V	95H	
	50	205/50R16	87H	87V		87W		87H	87V
		225/50R16		92H			92V	92H	
		245/50R16						97H	
	45	205/45R16				87W			
17	65	215/65R17	99T	99T				99T	
		225/65R17	102T	102T				102S	
		235/65R17	104H						
	60	215/60R17	96T	96T				96T	
		225/60R17	99T	99T				99T	
		235/60R17	102T						
	55	215/55R17	94V	94V		98W	98W	94V	
		225/55R17	97T, 97V	97T		101W	101W	97V	
		235/55R17	99T, 99V			99W		99H	
	50	205/50R17		89V		93W	93W		
		215/50R17	91V	93V		95W	95W	91V	
		225/50R17	94V	94V		98W	98W	94V	
		235/50R17							
	45	205/45R17				88W	88W		
		215/45R17				91W	91W		
		225/45R17				94W	94W	91H	
		235/45R17				97W	97W		
		245/45R17				99Y			
	40	205/40R17				84W	84W		
		215/40R17				87W	87W		
		245/40R17				95W			
18	65	235/65R18	106T						
		255/65R18	109T						
	60	225/60R18	100H						
	55	225/55R18	98T						
	50	225/50R18	96T						
		235/50R18				101W			
	45	225/45R18				95W			
		245/45R18	96V			100W	100W		
		255/45R18				103W			
		225/45R18							
	40	225/40R18				92W	92W		
		235/40R18				95W	95W		
		245/40R18				97Y	97W		
	35	215/35R18				84W			
		255/35R18				94W			
19	60	255/60R19	108H						
	55	235/55R19	105H						
	45	245/45R19				98W			
	40	245/40R19				98W			
	35	235/35R19				91W			
		245/35R19					93W		
		255/35R19				96Y			
20	45	245/45R20				103W			
	35	245/35R20				95W			
		255/35R20				97W	97W		

SUV/Light Truck Program Chart

RIM DIAMETER	ASPECT RATIO	MARKET SEGMENT	SPORT LIGHT TRUCK	HIGHWAY SUV / LT				MAXIMUM ALL TERRAIN SUV / LT	ALL TERRAIN / ALL POSITION SUV / LT			
		SIZE	VELOZZA STX	REVENGER HTS	WILD SPIRIT SPORT HXT	WILD SPIRIT SPORT HT	HIFLY HT601	TRAILCUTTER AT2	RADIAL SUV	TRAIL GUIDE AP	HIFLY AT601	
15	75	205/75R15										
		215/75R15							SL / OWL			
		225/75R15					SL / OWL			SL / OWL		
	70	235/75R15		SL / OWL				XL / BLK	SL / OWL	SL, XL / OWL	SL / OWL	XL/BLK
		265/75R15					SL / OWL		SL / OWL	SL / OWL		
		225/70R15					SL / OWL					
16	75	235/70R15							SL / OWL			
		265/70R15							SL / OWL			
		225/75R16		SL / OWL					SL / OWL			
	70	235/75R16		SL / OWL					SL / OWL			
		245/75R16		SL / OWL					SL / OWL	SL / OWL	SL / OWL	SL/BLK
		265/75R16		SL / OWL					SL / OWL	SL / OWL	SL / OWL	SL/BLK
		215/70R16		SL / OWL						SL / OWL		
		225/70R16		SL / OWL					SL / OWL	SL / OWL		
		235/70R16		SL / OWL				SL / BLK	SL / OWL	SL / OWL	SL / OWL	SL/BLK
		245/70R16		SL / OWL				XL / BLK	SL / OWL	SL / OWL	SL / OWL	SL/BLK
		255/70R16		SL / OWL				SL / BLK	SL / OWL	SL / OWL	SL / OWL	SL/BLK
		265/70R16		SL / OWL				SL / BLK	SL / OWL	SL / OWL	SL / OWL	SL/BLK
17	75	235/65R16										
		255/65R16				SL / OWL						
		235/70R17						XL / BLK				
	70	245/70R17		SL / OWL				SL / BLK	SL / OWL	SL / OWL	SL / OWL	SL/BLK
		255/70R17						SL / OWL				
		265/70R17		SL / OWL				SL / BLK	SL / OWL	SL / OWL	SL / OWL	SL/BLK
		285/70R17										SL/BLK
		215/65R17				SL / BLK						
		225/65R17				SL / BLK						
	65	235/65R17		SL / OWL							SL / OWL	
		245/65R17		SL / OWL				XL / BLK	SL / OWL	SL / OWL	SL / OWL	SL/BLK
		255/65R17							SL / OWL			
265/65R17			SL / OWL					SL / OWL			SL/BLK	
225/60R17					SL / BLK							
235/60R17					XL / BLK							
18	70	255/70R18				SL / BLK						
		265/70R18						SL / OWL				
		235/65R18				SL / BLK						
	65	255/65R18				SL / BLK						
		265/65R18							SL / OWL			
		275/65R18							SL / OWL			
	60	235/60R18				XL / BLK						
		245/60R18				SL / BLK						
		265/60R18				SL / BLK						
		225/55R18				SL / BLK						
		235/55R18				SL / BLK						
		255/55R18				XL / BLK						
20	60	275/60R20						SL / BLK				
	55	275/55R20	XL			SL / BLK		XL / BLK				

SUV/Light Truck Program Chart

RIM DIAMETER	ASPECT RATIO	MARKET SEGMENT	SPORT LIGHT TRUCK	HIGHWAY SUV / LT			COMMERCIAL HIGHWAY LT	MAXIMUM ALL TERRAIN SUV / LT	ALL TERRAIN / ALL POSITION SUV / LT			MAXIMUM ON-OFF ROAD TRACTION		MAXIMUM OFF ROAD TRACTION
		SIZE	VELOZZA STX	REVENGER HTS	TRAILCUTTER HLT	HIFLY HT601	CREATION LT	TRAILCUTTER AT2	REVENGER APR	TRAIL GUIDE AP	HIFLY AT601	TRAILCUTTER RTX	TRAILCUTTER RT	MUD CLAW MT
20	50	285/50R20	XL											
	45	275/45R20	XL											
	40	275/40R20	XL											
	35	225/35R20	XL											
	30	225/30R20	XL											
22	45	285/45R22	XL											
		305/45R22	XL											
	40	305/40R22	XL											
	35	265/35R22	XL											
		285/35R22	XL											
	30	235/30R22	XL											
		245/30R22	XL											
		255/30R22	XL											
24	35	305/35R24	XL											
26	30	295/30R26	XL											
		305/30R26	XL											
LT SIZING														
15	75	LT235/75R15			C / BLK	C / BLK	C / BLK	C / OWL	C / OWL		C / BLK		C / OWL	C / OWL
16	85	LT215/85R16			E / BLK		E / BLK	E / BLK	E / BLK	E / BLK	E / BLK		E / BLK	
		LT235/85R16			E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK
		LT255/85R16											D / OWL	
	75	LT225/75R16			E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	E / BLK	
		LT245/75R16			E / BLK	E / BLK	E / BLK	E / OWL	E / BLK	E / OWL	E / BLK	E / BLK	E / BLK	E / BLK
		LT265/75R16			E / BLK	E / BLK	E / BLK	E / OWL	C, E / OWL	E / OWL	E / BLK	E / BLK	C, E / OWL	C, E / OWL
		LT285/75R16						E / OWL	D / OWL		E / BLK	E / BLK	D / OWL	D / OWL
		LT315/75R16											D / OWL	D / OWL
	70	LT305/70R16											D / OWL	
17	80	LT235/80R17			E / BLK			E / OWL				E / BLK	E / OWL	E / OWL
	75	LT245/75R17			E / BLK	E / BLK	E / BLK	E / OWL		E / BLK	E / BLK			E / OWL
	70	LT245/70R17		E / BLK	E / BLK			E / OWL				E / BLK		
		LT265/70R17			E / BLK	E / BLK	E / BLK	C, E / OWL	E / OWL	E / OWL		E / BLK	E / OWL	E / OWL
		LT285/70R17						E / BLK			E / BLK	E / BLK		D / OWL
		LT295/70R17												E / OWL
		LT315/70R17						D / OWL						D / OWL
	65	LT305/65R17												E / OWL
18	70	LT275/70R18						E / OWL				E / BLK	E / OWL	E / OWL
		LT305/70R18												E / OWL
	65	LT275/65R18						E / OWL				E / BLK	E / OWL	E / OWL
		LT285/65R18						E / OWL						
20	65	LT275/65R20						E / BLK				E / BLK		
	55	LT305/55R20												E / BLK
FLOATATION & NUMERIC														
15		30X9.50R15LT							C / OWL				C / OWL	C / OWL
		31X10.50R15LT				C / BLK		C / OWL	C / OWL	C / OWL	C / BLK		C / OWL	C / OWL
		32X11.50R15LT						C / OWL						C / OWL
		33X12.50R15LT						C / OWL						C / OWL
		35X12.50R15LT											C / OWL	C / OWL
17		33X12.50R17LT												D / OWL
		35X12.50R17LT												D / OWL
		37X12.50R17LT												D / BLK
20		35X12.50R20LT												E / BLK

Genesis (T Rated)

**80,000 MILE LIMITED TREADWEAR WARRANTY
PREMIUM WARRANTY PACKAGE**



A PREMIUM TOURING TIRE DESIGNED FOR TODAY'S LUXURY VEHICLES. THE PERFECT BALANCE OF RIDE COMFORT, SPORTY HANDLING AND ALL SEASON PERFORMANCE CAPABILITIES.

- *Modern Asymmetrical Design With Ventless Technology For Year Round Performance And Premium Appearance*
- *Variable Progressive Siping Provides Extended All-Weather Performance And Improved Worn Tire Appearance*
- *Free Replacement 1st 50% Of Treadwear For Workmanship And Material*
- *Free Roadside Assistance Available And Free 30 Day Test Drive*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD (LBS. @ PSI)	SHIP WEIGHT (LBS.)
2230630	205/70R15	96T	STD	680 A A	11	BLK	6.0	8.23	26.22	1565 @ 44	22
2230665	215/70R15	98T	STD	680 A A	11	BLK	6.5	8.70	26.79	1653 @ 44	24
2230605	185/65R15	88T	STD	680 A A	11	BLK	5.5	7.83	24.45	1235 @ 44	21
2230615	195/65R15	91T	STD	680 A A	11	BLK	6.0	8.05	24.97	1356 @ 44	24
2230625	205/65R15	94T	STD	680 A A	11	BLK	6.0	8.34	25.41	1477 @ 44	22
2230600	185/60R15	84T	STD	680 A A	11	BLK	5.5	7.44	23.67	1102 @ 44	20
2230610	195/60R15	88T	STD	680 A A	11	BLK	6.0	8.03	24.20	1235 @ 44	22
2230640	215/60R15	94T	STD	680 A A	11	BLK	6.5	8.82	25.10	1477 @ 44	25
2230655	215/65R16	98T	STD	680 A A	11	BLK	6.5	8.70	27.04	1653 @ 44	26
TRT84*	225/65R16	100T	STD	680 A A	11	BLK	6.5	9.10	27.50	1764 @ 44	27
TRT99*	235/65R16	103T	STD	680 A A	11	BLK	7.0	9.56	27.87	1929 @ 44	26
TRT18*	205/60R16	92T	STD	680 A A	11	BLK	6.0	8.40	25.65	1389 @ 44	23
2230645	215/60R16	95T	STD	680 A A	11	BLK	6.5	8.95	26.10	1521 @ 44	25
2230675	225/60R16	98T	STD	680 A A	11	BLK	6.5	9.15	26.56	1653 @ 44	28
2230685	235/60R16	100T	STD	680 A A	11	BLK	7.0	9.52	27.10	1764 @ 44	28
2230620	205/55R16	91T	STD	680 A A	11	BLK	6.5	8.59	24.86	1356 @ 44	24
TRT61*	215/65R17	99T	STD	680 A A	11	BLK	6.5	8.93	27.92	1709 @ 44	28
TRT76*	225/65R17	102T	STD	680 A A	11	BLK	6.5	8.98	28.34	1874 @ 44	29
TRT79*	215/60R17	96T	STD	680 A A	11	BLK	6.5	9.03	27.05	1565 @ 44	27
2230680	225/60R17	99T	STD	680 A A	11	BLK	6.5	9.14	27.50	1709 @ 44	29
TRT07*	235/60R17	102T	STD	680 A A	11	BLK	7.0	10.07	28.00	1874 @ 44	32
TRT88*	225/55R17	97T	STD	680 A A	11	BLK	7.0	9.31	26.79	1609 @ 44	28
TRT89*	235/55R17	99T	STD	680 A A	11	BLK	7.5	9.75	27.15	1709 @ 44	28
TRT05*	235/65R18	106T	STD	680 A A	11	BLK	7.0	10.06	29.87	2094 @ 44	33
TRT32*	P255/65R18	109T	STD	680 A A	11	BLK	7.5	10.20	31.02	2271 @ 44	37
TRT92*	225/55R18	98T	STD	680 A A	11	BLK	7.0	9.11	27.85	1653 @ 44	29
TRT25*	225/50R18	95T	STD	680 A A	11	BLK	7.0	9.17	26.89	1477 @ 44	23

* Branded Tour Plus (See picture on page 35)

Genesis (H & V Rated)

**60,000 MILE LIMITED TREADWEAR WARRANTY
PREMIUM WARRANTY PACKAGE**



A PREMIUM TOURING TIRE DESIGNED FOR TODAY'S LUXURY VEHICLES. THE PERFECT BALANCE OF RIDE COMFORT, SPORTY HANDLING AND ALL SEASON PERFORMANCE CAPABILITIES.

- *Modern Asymmetrical Design With Ventless Technology For Year Round Performance And Premium Appearance*
- *Variable Progressive Siping Provides Extended All-Weather Performance And Improved Worn Tire Appearance*
- *Free Replacement 1st 50% Of Treadwear For Workmanship And Material*
- *Free Roadside Assistance Available And Free 30 Day Test Drive*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
TRH26*	185/65R15	88H	STD	540 A A	11	BLK	5.5	7.83	24.45	1235 @ 44	20
TRH29*	195/65R15	91H	STD	540 A A	11	BLK	6.0	8.05	24.97	1356 @ 44	25
TRH31*	205/65R15	94H	STD	540 A A	11	BLK	6.0	8.34	25.41	1477 @ 44	22
2230710	195/60R15	88H	STD	540 A A	11	BLK	6.0	8.03	24.20	1235 @ 44	21
TRH43*	205/60R15	91H	STD	540 A A	11	BLK	6.0	8.29	24.65	1356 @ 44	21
2230723	205/60R16	92H	STD	540 A A	11	BLK	6.0	8.40	25.65	1389 @ 44	23
TRV19*	205/60R16	92V	STD	500 A A	11	BLK	6.0	8.40	25.65	1389 @ 44	24
TRV49*	215/60R16	95V	STD	500 A A	11	BLK	6.5	8.95	26.10	1521 @ 44	24
TRH53*	225/60R16	98H	STD	540 A A	11	BLK	6.5	9.15	26.56	1653 @ 44	26
TRV81*	195/55R16	87V	STD	500 A A	11	BLK	6.0	—	24.41	1201 @ 44	20
TRH44*	205/55R16	91H	STD	540 A A	11	BLK	6.5	8.59	24.86	1356 @ 44	23
TRH58*	215/55R16	93H	STD	540 A A	11	BLK	7.0	8.87	25.27	1433 @ 44	23
TRH72*	225/55R16	95H	STD	540 A A	11	BLK	7.0	9.29	25.77	1521 @ 44	25
TRH67*	205/50R16	87H	STD	540 A A	11	BLK	6.5	8.32	24.09	1201 @ 44	22
TRH82*	235/65R17	104H	STD	540 A A	11	BLK	7.0	9.65	29.10	1984 @ 44	32
TRV71*	215/55R17	94V	STD	500 A A	11	BLK	7.0	8.90	26.31	1477 @ 44	27
TRV88*	225/55R17	97V	STD	500 A A	11	BLK	7.0	9.31	26.79	1609 @ 44	27
TRV89*	235/55R17	99V	STD	500 A A	11	BLK	7.5	9.75	27.15	1709 @ 44	29
TRV58*	215/50R17	91V	STD	500 A A	11	BLK	7.0	8.88	25.46	1356 @ 44	24
TRV66*	225/50R17	94V	STD	500 A A	11	BLK	7.0	9.66	25.89	1477 @ 44	23
TRH34*	225/60R18	100H	STD	540 A A	11	BLK	6.5	9.01	28.62	1764 @ 44	29
TRV17*	245/45R18	96V	STD	500 A A	11	BLK	8.0	9.85	26.65	1565 @ 44	29
TRH08*	P255/60R19*	108H	STD	540 A A	11	BLK	7.5	10.20	31.02	2205 @ 44	36
TRH86*	P235/55R19	105H	XL	540 A A	11	BLK	7.5	9.98	29.20	2039 @ 44	32


* Branded Tour Plus (See picture on page 35)



Grand Prix Tour RS

60,000 MILE (T RATED) LIMITED TREADWEAR WARRANTY
50,000 MILE (H & V RATED) LIMITED TREADWEAR WARRANTY

THE NEW GENERATION OF AN ALL SEASON TIRE COMBINING SUPERIOR QUALITY WITH A HIGHLY EFFICIENT ALL WEATHER TOURING DESIGN. THE GRAND PRIX TOUR RS PACKAGES RIDE COMFORT, ALL WEATHER TRACTION AND IMPROVED HANDLING TO CREATE OUR BEST TIRE VALUE. DESIGNED FOR TODAY'S SEDANS, COMPACT CARS, AND MINIVANS.

- *T, H & V-Rated Sizing For Today's Popular Vehicle Fitments*
- *A Technology-Driven Tread Design For Superior All-Weather Performance*
- *Precision Engineered For Even Wear And Long Tread Life*
- *Full Depth Siping For Long Lasting Wet And Snow Traction*
- *Notched Center Rib With Multi-Element Blading For Improved Handling And Steering Response*
- **Low Rolling Resistance For Enhanced Fuel Efficiency** 

UTQG: 500 A B (T Rated), 460 A A (H Rated), 380 A A (V Rated)

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDEWALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS.@ PSI	SHIP WEIGHT (LBS.)	
GPS21	175/70R14	84T	SL	500 A B	10	SBL	5.0	6.97	23.70	1102 @ 44	18	
GPS35	185/70R14	88T	SL	500 A B	10	SBL	5.5	7.44	24.25	1235 @ 44	19	
GPS38	195/70R14	91T	SL	500 A B	10	SBL	6.0	7.91	24.80	1356 @ 44	21	
GPS61	175/65R14	82T	SL	500 A B	10	SBL	5.0	6.97	22.99	1047 @ 44	17	
GPS62	185/65R14	86T	SL	500 A B	10	SBL	5.5	7.44	23.46	1168 @ 44	18	
GPS29	205/70R15	96T	SL	500 A B	11	SBL	6.0	8.23	26.34	1565 @ 44	24	
GPS33	215/70R15	98T	SL	500 A B	11	SBL	6.5	8.70	26.89	1653 @ 44	26	
GPS71	185/65R15	88T	SL	500 A B	10	SBL	5.5	7.44	24.45	1235 @ 44	19	
GPS28	195/65R15	91T	SL	500 A B	10	SBL	6.0	7.91	25.00	1356 @ 44	21	
GPS44	205/65R15	94T	SL	500 A B	10	SBL	6.0	8.23	25.47	1477 @ 44	23	
GPS68	215/65R15	96T	SL	500 A B	10	SBL	6.5	8.70	26.02	1565 @ 44	25	
GPS73	185/60R15	84T	SL	500 A B	11	SBL	5.5	7.44	23.74	1102 @ 44	19	
GPS40	195/60R15	88H	SL	460 A A	11	SBL	6.0	7.91	24.21	1235 @ 44	20	
GPS43	205/60R15	91H	SL	460 A A	11	SBL	6.0	8.23	24.69	1356 @ 44	21	
GPS22	215/60R15	94H	SL	460 A A	11	SBL	6.5	8.70	25.16	1477 @ 44	24	
GPS27	195/55R15	85V	SL	380 A A	11	SBL	6.0	7.91	23.43	1135 @ 44	20	
NEW!	GPS54*	205/65R16	95H	SL	460 A A	10	SBL	6.0	8.23	26.46	1521 @ 44	24
	GPS55	215/65R16	98T	SL	500 A B	11	SBL	6.5	8.70	27.01	1653 @ 44	25
NEW!	GPS83*	225/65R16	100T	SL	500 A B	10	SBL	6.5	8.98	27.48	1764 @ 44	28
NEW!	GPS99*	235/65R16	103T	SL	500 A B	10	SBL	7.0	9.45	28.03	1929 @ 44	32


* Available 2nd Qtr 2014

Grand Prix Tour RS

60,000 MILE (T RATED) LIMITED TREADWEAR WARRANTY
50,000 MILE (H & V RATED) LIMITED TREADWEAR WARRANTY



THE NEW GENERATION OF AN ALL SEASON TIRE COMBINING SUPERIOR QUALITY WITH A HIGHLY EFFICIENT ALL WEATHER TOURING DESIGN. THE GRAND PRIX TOUR RS PACKAGES RIDE COMFORT, ALL WEATHER TRACTION AND IMPROVED HANDLING TO CREATE OUR BEST TIRE VALUE. DESIGNED FOR TODAY'S SEDANS, COMPACT CARS, AND MINIVANS.

- *T, H & V-Rated Sizing For Today's Popular Vehicle Fitments*
- *A Technology-Driven Tread Design For Superior All-Weather Performance*
- *Precision Engineered For Even Wear And Long Tread Life*
- *Full Depth Siping For Long Lasting Wet And Snow Traction*
- *Notched Center Rib With Multi-Element Blading For Improved Handling And Steering Response*
- **Low Rolling Resistance For Enhanced Fuel Efficiency** 

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDEWALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS.@ PSI	SHIP WEIGHT (LBS.)
GPS19	205/60R16	92H	SL	460 A A	11	SBL	6.0	8.23	25.67	1389 @ 44	23
GPS48	215/60R16	95T	SL	500 A B	11	SBL	6.5	8.70	26.14	1521 @ 44	25
GPS52	225/60R16	98T	SL	500 A B	11	SBL	6.5	8.98	26.61	1653 @ 44	26
GPS56	235/60R16	100H	SL	460 A A	11	SBL	7.0	9.45	27.09	1764 @ 44	27
GPS37	205/55R16	91H	SL	460 A A	11	SBL	6.5	8.43	24.88	1356 @ 44	22
GPS57	215/55R16	97H	RF	460 A A	11	SBL	7.0	8.90	25.28	1609 @ 44	24
GPS42	225/55R16	99H	RF	460 A A	11	SBL	7.0	9.17	25.75	1709 @ 50	26
GPS67	205/50R16	87V	SL	380 A A	10	SBL	6.5	8.43	24.09	1201 @ 44	22
GPS45	225/50R16	92H	SL	460 A A	10	SBL	7.0	9.17	24.88	1389 @ 44	25
NEW! GPS31*	215/65R17	99T	SL	500 A B	10	SBL	6.5	8.70	28.03	1709 @ 50	26
NEW! GPS76*	225/65R17	102T	SL	500 A B	10	SBL	6.5	8.98	28.50	1874 @ 44	31
NEW! GPS79*	215/60R17	96T	SL	500 A B	10	SBL	6.5	8.70	27.17	1565 @ 44	26
NEW! GPS96*	225/60R17	99T	SL	500 A B	10	SBL	6.5	8.98	27.64	1709 @ 50	27
GPS72	215/55R17	94V	SL	380 A A	11	SBL	7.0	8.90	26.30	1477 @ 44	26
GPS88	225/55R17	97T	SL	500 A B	11	SBL	7.0	9.17	26.77	1609 @ 44	28
GPS12	205/50R17	89V	SL	380 A A	10	SBL	6.5	8.40	25.12	1280 @ 44	22
GPS58	215/50R17	95V	RF	380 A A	11	SBL	7.0	8.90	25.51	1521 @ 50	25
GPS66	225/50R17	94V	SL	380 A A	10	SBL	7.0	9.17	25.91	1480 @ 44	24

* Available 2nd Qtr 2014



ALL SEASON PASSENGER TIRE THAT OFFERS DEPENDABLE TRACTION AND HANDLING IN ALL DRIVING CONDITIONS.

- *All Season Tread Design For Excellent Year Round Traction*
- *Dual Tread Compound For Longer Wear And Improved Durability*
- *Variable Tread Element Sequence For A Smooth And Quiet Ride*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
CPT05*	155/80R12	77T	SL	—	9	BLK	4.5	6.20	21.80	908 @ 44	13
CPT08*	165/80R13	87T	SL	280 B B	9	BLK	4.5	6.90	25.50	1200 @ 44	15
2230060	P175/70R13	82S	SL	440 A B	10	BLK	5.0	6.89	22.68	1036 @ 44	15
2230089	P185/75R14	89S	SL	440 A B	10	BLK	5.0	7.20	24.80	1290 @ 35	17
2230027	P195/75R14	92S	SL	440 A B	10	BLK	5.5	7.60	25.40	1400 @ 35	18
2230030	P205/75R14	95S	SL	440 A B	11	BLK	5.5	7.95	25.95	1532 @ 35	19
Q4-21**	P175/70R14	84S	SL	440 A B	10	BLK	5.0	6.89	23.18	1102 @ 35	16
2230062	P185/70R14	87S	SL	440 A B	10	BLK	5.5	7.40	24.23	1201 @ 44	17
2230063	P195/70R14	90S	SL	440 A B	10	BLK	6.0	7.80	24.78	1312 @ 44	18
2230064	P205/70R14	93S	SL	440 A B	10	BLK	6.0	8.11	25.28	1433 @ 44	19
2230070	P215/70R14	96S	SL	440 A B	10	BLK	6.5	8.58	25.78	1554 @ 44	21
2230040	P175/65R14	81S	SL	440 A B	10	BLK	5.0	6.85	22.90	1019 @ 44	15
2230041	P185/65R14	85S	SL	440 A B	10	BLK	5.5	7.35	23.35	1124 @ 44	17
2230093	P205/75R15	97S	SL	440 A B	11	WSW	5.5	7.95	26.95	1598 @ 35	21
2230094	P215/75R15	100S	SL	440 A B	11	WSW	6.0	8.40	27.55	1742 @ 35	23
2230031	P225/75R15	102S	SL	440 A B	11	BLK	6.0	8.70	28.05	1874 @ 35	24
2230096	P235/75R15	105S	SL	440 A B	11	WSW	6.5	9.10	28.65	2028 @ 35	26

* Branded Classic All Season (See picture on page 35)

** Branded Classic Radial — Slightly Different Tread Design



ALL SEASON PASSENGER TIRE THAT OFFERS DEPENDABLE TRACTION AND HANDLING IN ALL DRIVING CONDITIONS.

- *All Season Tread Design For Excellent Year Round Traction*
- *Dual Tread Compound For Longer Wear And Improved Durability*
- *Variable Tread Element Sequence For A Smooth And Quiet Ride*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
2230074	P205/70R15	95S	SL	440 A B	10	WSW	6.0	8.10	26.28	1499 @ 44	20
2230065	P205/70R15	95S	SL	440 A B	10	BLK	6.0	8.11	26.28	1499 @ 44	20
2230075	P215/70R15	97S	SL	440 A B	10	WSW	6.5	8.58	26.78	1620 @ 44	22
2230066D	215/70R15	98S	SL	440 A B	10	BLK	6.5	8.70	26.89	1653 @ 36	22
2230042D	195/65R15	91S	SL	440 A B	10	BLK	6.0	7.80	24.90	1279 @ 35	19
2230043	P205/65R15	92S	SL	440 A B	10	BLK	6.0	8.16	25.25	1400 @ 44	20
2230044	P215/65R15	95S	SL	440 A B	10	BLK	6.5	8.65	25.88	1510 @ 44	22
1230010*	P205/55R15	87S	SL	440 A B	11	BLK	6.5	8.30	23.80	1201 @ 44	21
2230045	P215/65R16	96S	SL	440 A B	11	BLK	6.5	8.65	26.95	1565 @ 44	24
2230020D	215/60R16	95S	SL	440 A B	10	BLK	6.5	8.70	26.14	1521 @ 36	23
2230021	P225/60R16	97S	SL	440 A B	10	BLK	6.5	8.80	26.52	1609 @ 44	24
2230010D	205/55R16	91S	SL	440 A B	10	BLK	6.5	8.43	24.88	1350 @ 36	22

* *Branded Tempra Duration (See picture on page 35)*

Gremax 5000



DEPENDABLE AND AFFORDABLE ALL SEASON PERFORMANCE. FEATURES ATTRACTIVE WHITE SIDEWALL STYLING AND NINE POPULAR 70/75 SERIES SIZES.

- *All Season Tread Design For Dependable Traction And Handling*
- *White Sidewall*
- *Smooth Quiet Ride*
- *M & S Rated*
- *Economy Priced*

UTQG: 440 A B

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
GM001	195/75R14	92S	SL	440 A B	10	WSW	5.5	7.72	25.51	1389 @ 44	19
GM002	205/75R14	95S	SL	440 A B	10	WSW	5.5	7.99	26.14	1521 @ 44	20
GM004	205/75R15	97S	SL	440 A B	10	WSW	5.5	7.99	27.13	1609 @ 44	22
GM006	215/75R15	100S	SL	440 A B	10	WSW	6.0	8.50	27.68	1764 @ 44	23
GM008	225/75R15	102S	SL	440 A B	10	WSW	6.0	8.78	28.31	1874 @ 44	24
GM009	235/75R15	105S	SL	440 A B	10	WSW	6.5	9.25	28.86	2039 @ 44	27
GM003	205/70R15	96S	SL	440 A B	10	WSW	6.0	8.23	26.34	1565 @ 44	20
GM005	215/70R15	98S	SL	440 A B	10	WSW	6.5	8.70	26.89	1653 @ 44	23
GM007	225/70R15	100S	SL	440 A B	10	WSW	6.5	8.98	27.44	1764 @ 44	24

Revenger GT

50,000 MILE LIMITED TREADWEAR WARRANTY



AN ALL SEASON TIRE THAT DELIVERS SUPERIOR HANDLING ON WET OR DRY PAVEMENT WITH THE LOOK AND FEEL OF A HIGH PERFORMANCE TIRE.

- *Contemporary Raised White Letters With Stylized Black Lettering On Reverse Side*
- *Performance All Season Tread Design*
- *Bold Tread Elements For Improved Cornering & Handling*
- *S & T Speed Rated*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
2231070	P215/70R14	96T	SL	440 A B	11	RWL	6.5	8.70	25.76	1675 @ 44	22
2231071	P225/70R14	98T	SL	440 A B	11	RWL	6.5	8.90	26.27	1675 @ 44	24
1231031*	P235/60R14	96T	SL	440 A B	11	RWL	7.0	9.10	25.06	1565 @ 44	23
2231072	P215/70R15	97T	SL	440 A B	11	RWL	6.5	8.70	27.37	1753 @ 44	23
2231073	P225/70R15	100T	SL	440 A B	11	RWL	7.0	9.50	27.90	1896 @ 44	26
2231074	P235/70R15	102T	SL	440 A B	11	RWL	7.5	10.40	28.95	2183 @ 44	27
2231075	P255/70R15	108T	SL	440 A B	11	RWL	9.5	11.90	27.69	2149 @ 44	32
2231032	P235/60R15	98T	SL	440 A B	11	RWL	7.0	9.20	26.11	1642 @ 44	25
67B51**	P245/60R15	100T	SL	440 A B	11	RWL	7.0	9.50	26.55	1753 @ 44	26
2231034	P255/60R15	102T	SL	440 A B	11	RWL	7.5	9.70	27.01	1885 @ 44	28
2231035	P275/60R15	107T	SL	440 A B	11	RWL	8.0	10.70	28.06	2149 @ 44	31
2231000	P295/50R15	105S	SL	440 A C	11	RWL	9.5	11.80	26.80	2061 @ 44	32

* Branded Tempra GT Radial (See picture on page 35)

** Branded Grand Prix Performance GT — Different Tread Design (See picture on page 35)



ACCELERATION MEETS EXHILARATION! PRECISION ENGINEERED AND STYLISHLY DESIGNED FOR THE PERFORMANCE AND PASSION OF THE DRIVING EXPERIENCE. WITH AGRESSIVE TRACTION CAPABILITY, CRISP AND RESPONSIVE HANDLING, HIGH TECH CONSTRUCTION AND HEAD TURNING MODERN DESIGN.

- *Optimized Performance Design For Confident Cornering And Excellent Straight Line Stability*
- *Lateral Grooves Quickly Evacuate Water For Superior Wet Weather Performance*
- *Asymmetric Tread Pattern For Reduced Irregular Wear And A Smooth Quiet Ride*
- *M & S Rated*
- *Produced With "CLEAN" Oil*



UTQG: 360 AA A

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
VEL41	205/55R16	91W	SL	360 AA A	10	BLK	6.5	8.40	24.90	1306 @ 44	22
VEL67	205/50R16	87W	SL	360 AA A	10	BLK	6.5	8.43	24.09	1201 @ 44	21
VEL29	205/45R16	87W	RF	360 AA A	10	BLK	7.0	8.11	23.23	1201 @ 50	19
VEL87	215/55R17	98W	RF	360 AA A	10	BLK	7.0	8.90	26.30	1653 @ 50	26
VEL88	225/55R17	101W	RF	360 AA A	10	BLK	7.0	9.17	26.77	1819 @ 50	27
NEW	*	235/55R17	99W	SL	360 AA A	—	BLK	—	—	—	—
VEL12	205/50R17	93W	RF	360 AA A	10	BLK	6.5	8.43	25.12	1433 @ 50	22
VEL58	215/50R17	95W	RF	360 AA A	10	BLK	7.0	8.90	25.51	1521 @ 50	22
VEL66	225/50R17	98W	RF	360 AA A	10	BLK	7.0	9.17	25.91	1653 @ 50	25
VEL51	205/45R17	88W	RF	360 AA A	10	BLK	7.0	8.11	24.25	1235 @ 50	20
VEL53	215/45R17	91W	RF	360 AA A	10	BLK	7.0	8.39	24.65	1356 @ 50	21
VEL71	225/45R17	94W	RF	360 AA A	10	BLK	7.5	8.86	24.96	1477 @ 50	22
VEL54	235/45R17	97W	RF	360 AA A	10	BLK	8.0	9.29	25.35	1609 @ 50	23
VEL55	245/45R17	99Y	RF	360 AA A	10	BLK	8.0	9.57	25.67	1709 @ 50	26
VEL04	205/40R17	84W	RF	360 AA A	10	BLK	7.5	8.35	23.46	1102 @ 50	19
VEL06	215/40R17	87W	RF	360 AA A	10	BLK	7.5	8.58	23.78	1201 @ 50	20
VEL50	245/40R17	95W	SL	360 AA A	10	BLK	8.5	9.76	24.72	1521 @ 50	25
VEL13	235/50R18	101W	RF	360 AA A	10	BLK	7.5	9.70	27.30	1609 @ 44	28
VEL14	225/45R18	95W	RF	360 AA A	10	BLK	7.5	8.86	25.94	1521 @ 50	23
VEL17	245/45R18	100W	RF	360 AA A	10	BLK	8.0	9.58	26.65	1764 @ 50	27
VEL19	255/45R18	103W	RF	360 AA A	10	BLK	8.5	10.0	27.10	1929 @ 50	27
VEL78	225/40R18	92W	RF	360 AA A	10	BLK	8.0	9.06	25.08	1389 @ 50	22
VEL82	235/40R18	95W	RF	360 AA A	10	BLK	8.5	9.49	25.39	1521 @ 50	24
VEL84	245/40R18	97Y	RF	360 AA A	10	BLK	8.5	9.76	25.71	1609 @ 50	26
VEL16	215/35R18	84W	RF	360 AA A	10	BLK	7.5	8.58	23.90	1102 @ 50	20
VEL26	255/35R18	94W	RF	360 AA A	10	BLK	9.0	10.24	25.00	1477 @ 50	26
NEW	*	245/45R19	98W	SL	360 AA A	—	BLK	—	—	—	—
NEW	*	245/40R19	98W	XL	360 AA A	—	BLK	—	—	—	—
VEL28	235/35R19	91W	RF	360 AA A	10	BLK	8.5	9.49	25.47	1356 @ 50	24
VEL35	255/35R19	96Y	RF	360 AA A	10	BLK	9.0	10.24	26.02	1565 @ 50	26
NEW	*	245/45R20	103W	XL	360 AA A	—	BLK	—	—	—	—
VEL42	245/35R20	95W	RF	360 AA A	10	BLK	8.5	9.76	26.77	1521 @ 50	25
VEL20	255/35R20	97W	RF	360 AA A	10	BLK	9.0	10.24	27.01	1609 @ 50	26

*Available April 2014



THE ALL NEW VELOZZA STX...DELIVERS HIGH STYLE, HIGH PERFORMANCE AND HIGH VALUE IN ONE ATTRACTIVE AND AFFORDABLE PACKAGE.....FROM THE COOLEST LUXURY SUV TO THE HOTTEST SPORT TRUCK. GO BIG WITH THE VELOZZA STX AND SEE WHY YOU DON'T HAVE TO SPEND THE MOST.... TO GET THE MOST!

- *Designed For Street Tuned Suv's, Full Size Pickups And Performance Sedans*
- *Features Popular 20-26 Inch W & V Rated Plus Size Fitments*
- *Extra Load Construction For The Increased Load Requirements Of Larger Vehicles*
- *Wheel Flange Guard To Protect Rims From Curb Damage & Scuffing*
- *M & S Rated*

UTQG: 420 A A

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
VZX73	275/55R20	117V	XL	420 A A	11	BLK	8.5	11.30	31.80	2833 @ 49	44
VZX20	285/50R20	116V	XL	420 A A	10	BLK	9.0	11.89	31.26	2756 @ 49	43
VZX74	275/45R20	110V	XL	420 A A	11	BLK	9.5	10.94	29.76	2337 @ 49	31
VZX65	275/40R20	106W	XL	420 A A	10	BLK	10.0	11.14	28.66	2094 @ 49	34
VZX10**	225/35R20	90W	XL	420 A A	10	BLK	8.0	9.21	26.18	1323 @ 49	21
VZX18**	225/30R20	85W	XL	420 A A	10	BLK	8.0	9.25	25.43	1135 @ 49	20
NEW VZX52*	285/45R22	114V	XL	420 A A	11	BLK	9.5	11.22	32.09	2601 @ 49	43
VZX25	305/45R22	118V	XL	420 A A	11	BLK	10.5	12.13	32.80	2910 @ 49	48
VZX27	305/40R22	114V	XL	420 A A	11	BLK	10.5	12.56	31.61	2601 @ 49	46
VZX83	265/35R22	102V	XL	420 A A	10	BLK	9.5	10.91	29.33	1874 @ 49	35
NEW VZX22*	285/35R22	106V	XL	420 A A	11	BLK	10.0	11.42	29.88	2094 @ 49	38
VZX89**	235/30R22	90W	XL	420 A A	10	BLK	8.5	9.53	27.60	1322 @ 49	27
VZX07**	245/30R22	92W	XL	420 A A	10	BLK	8.5	10.08	27.87	1389 @ 49	30
VZX76**	255/30R22	95V	XL	420 A A	10	BLK	9.0	10.47	28.03	1521 @ 49	32
VZX30	305/35R24	112V	XL	420 A A	11	BLK	11.0	12.56	32.36	2469 @ 49	49
VZX59	295/30R26	107W	XL	420 A A	11	BLK	11.5	12.09	32.99	2149 @ 49	46
VZX03	305/30R26	109W	XL	420 A A	11	BLK	11.0	12.56	33.31	2271 @ 49	49

* Available 1st Qtr 2014

** Slightly Different Tread Design



TAKE YOUR SALES AND PROFITS TO NEW HEIGHTS WITH THIS EXCITING PROGRAM FROM TBC WHOLESALE! FEATURING POPULAR SIZES IN W AND V RATINGS, HIFLY SOARS ABOVE THE COMPETITION WITH AN OUTSTANDING COMBINATION OF QUALITY, PERFORMANCE AND PRICE!

- *M&S Rated For All Season Capability*
- *Silica Based Compound For Superior Wet Traction Performance*
- *Optimized Pitch Design For A Quiet Ride*
- *XL Capacity On UHP Sizes*

UTQG: 280 AA A

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS.@ PSI	SHIP WEIGHT (LBS.)
HFUHP18	215/55R16	97V	XL	280 AA A	10	BLK	7.0	8.90	25.28	1609 @ 50	22
HFUHP74	225/55R16	99V	XL	280 AA A	10	BLK	7.0	9.17	20.75	1709 @ 50	23
HFUHP64	225/50R16	92V	SL	280 AA A	10	BLK	7.0	9.17	24.88	1389 @ 50	23
HFUHP19	215/55R17	98W	XL	280 AA A	10	BLK	7.0	8.90	26.30	1653 @ 50	24
HFUHP75	225/55R17	101W	XL	280 AA A	10	BLK	7.0	9.17	25.75	1819 @ 50	25
HFUHP25	205/50R17	93W	XL	280 AA A	10	BLK	6.5	8.43	25.12	1433 @ 50	21
HFUHP37	215/50R17	95W	XL	280 AA A	10	BLK	7.0	8.89	25.51	1521 @ 50	23
HFUHP73	225/50R17	98W	XL	280 AA A	10	BLK	7.0	9.17	25.91	1653 @ 50	23
HFUHP26	205/45R17	88W	XL	280 AA A	10	BLK	7.0	8.11	24.25	1235 @ 50	20
HFUHP27	215/45R17	91W	XL	280 AA A	10	BLK	7.0	8.39	24.65	1356 @ 50	21
HFUHP28	225/45R17	94W	XL	280 AA A	10	BLK	7.5	8.86	24.96	1477 @ 50	22
HFUHP29	235/45R17	97W	XL	280 AA A	10	BLK	8.0	9.29	25.35	1609 @ 50	23
HFUHP31	205/40R17	84W	XL	280 AA A	10	BLK	7.5	8.35	23.46	1102 @ 50	19
HFUHP32	215/40R17	87W	XL	280 AA A	10	BLK	7.5	8.58	23.78	1201 @ 50	20
HFUHP30	245/45R18	100W	XL	280 AA A	10	BLK	8.0	9.57	26.65	1764 @ 50	25
HFUHP33	225/40R18	92W	XL	280 AA A	10	BLK	8.0	9.06	25.08	1389 @ 50	22
HFUHP34	235/40R18	95W	XL	280 AA A	10	BLK	8.5	9.49	25.39	1521 @ 50	23
HFUHP35	245/40R18	97W	XL	280 AA A	10	BLK	8.5	9.76	25.71	1609 @ 50	24
HFUHP16	245/35R19	93W	XL	280 AA A	10	BLK	8.5	9.76	25.79	1433 @ 50	25
HFUHP36	255/35R20	97W	XL	280 AA A	10	BLK	9.0	10.20	26.89	1609 @ 50	27



Doral SDL-A

45,000 MILE LIMITED TREADWEAR WARRANTY



THE DORAL SDL-A ALL SEASON HIGH PERFORMANCE LINE IS THE PERFECT COMBINATION OF SUPERIOR QUALITY, DESIGN AND VALUE. FROM TECHNOLOGICALLY ADVANCED CONSTRUCTION TO IMPRESSIVE SIZE COVERAGE, THE DORAL SDL-A HAS BEEN DESIGNED WITH ONE GOAL IN MIND...OUTSTANDING PERFORMANCE IN EVERY AREA.

- *Broad Size Coverage In T, H & V Speed Ratings*
- *Center Circumferential Channel Provides Superior Water Evacuation*
- *Quality And Performance At A Value Price*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS.@ PSI	SHIP WEIGHT (LBS.)
5713000	175/70R13	82S	SL	400 A B	10	BLK	5.0	7.01	22.70	1047 @ 44	15
5713002	185/70R14	88S	SL	400 A B	10	BLK	5.5	7.37	24.19	1235 @ 44	17
5713004	195/70R14	91S	SL	400 A B	10	BLK	6.0	7.93	24.79	1356 @ 44	19
5713006	205/70R14	95S	SL	400 A B	10	BLK	6.0	8.17	25.31	1521 @ 44	22
5713012	175/65R14	82H	SL	400 A A	10	BLK	6.0	7.04	22.98	1047 @ 51	15
5713014	185/65R14	86H	SL	400 A A	10	BLK	5.5	7.42	23.33	1168 @ 51	16
5713056	195/65R14	89T	SL	400 A B	10	BLK	6.0	7.90	24.00	1279 @ 44	18
5713024	185/60R14	82H	SL	400 A A	10	BLK	5.5	7.38	22.65	1047 @ 51	16
5713026	195/60R14	86H	SL	400 A A	10	BLK	6.0	7.88	23.12	1168 @ 51	18
5713008	205/70R15	96S	SL	400 A B	10	BLK	6.0	8.30	26.24	1565 @ 44	23
5713010	215/70R15	98S	SL	400 A B	11	BLK	6.5	8.70	26.92	1653 @ 44	24
5713016	185/65R15	88H	SL	400 A A	10	BLK	5.5	7.35	24.44	1235 @ 51	18
5713018	195/65R15	91H	SL	400 A A	10	BLK	6.0	7.90	25.03	1356 @ 51	19
5713020	205/65R15	94H	SL	400 A A	11	BLK	6.0	8.20	25.39	1477 @ 51	20
5713022	215/65R15	96H	SL	400 A A	11	BLK	6.5	8.61	25.96	1565 @ 51	23
5713064	185/60R15	84T	SL	400 A B	10	BLK	5.5	7.40	23.70	1102 @ 44	17
5713028	195/60R15	88H	SL	400 A A	10	BLK	6.0	7.88	24.19	1235 @ 51	19
5713030	205/60R15	91H	SL	400 A A	11	BLK	6.0	8.10	24.61	1356 @ 51	20
5713032	215/60R15	94H	SL	400 A A	11	BLK	6.5	8.63	25.08	1477 @ 51	22
5713070	195/55R15	85V	SL	400 A A	10	BLK	6.0	7.90	23.40	1135 @ 51	17

“ Designed and Engineered in Japan and manufactured by Sumitomo Rubber Industries. Exclusively Marketed and Distributed in North America by TBC Corporation.”

Doral SDL-A

45,000 MILE LIMITED TREADWEAR WARRANTY



THE DORAL SDL-A ALL SEASON HIGH PERFORMANCE LINE IS THE PERFECT COMBINATION OF SUPERIOR QUALITY, DESIGN AND VALUE. FROM TECHNOLOGICALLY ADVANCED CONSTRUCTION TO IMPRESSIVE SIZE COVERAGE, THE DORAL SDL-A HAS BEEN DESIGNED WITH ONE GOAL IN MIND...OUTSTANDING PERFORMANCE IN EVERY AREA.

- *Broad Size Coverage In T, H & V Speed Ratings*
- *Center Circumferential Channel Provides Superior Water Evacuation*
- *Quality And Performance At A Value Price*

NEW

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
5713059	235/65R16	103T	SL	400 A B	11	BLK	7.0	7.5	28.00	1929 @ 44	30
5713058	215/65R16	98T	SL	400 A B	10	BLK	6.5	8.70	27.00	1653 @ 44	26
5713034	205/60R16	92H	SL	400 A A	11	BLK	6.0	7.98	25.62	1389 @ 51	21
5713036	215/60R16	95H	SL	400 A A	11	BLK	6.5	8.67	26.09	1521 @ 51	23
5713038	225/60R16	98H	SL	400 A A	11	BLK	6.5	8.96	26.56	1653 @ 51	25
5713072	195/55R16	87V	SL	400 A A	10	BLK	6.0	7.90	24.40	1201 @ 51	18
5713040	205/55R16	91H	SL	400 A A	10	BLK	6.5	8.57	24.89	1356 @ 51	20
5713042	215/55R16	93H	SL	400 A A	10	BLK	7.0	8.95	25.26	1433 @ 51	24
5713044	225/55R16	95H	SL	400 A A	10	BLK	7.0	9.22	25.76	1521 @ 51	25
5713046	205/50R16	87H	SL	400 A A	10	BLK	6.5	8.29	24.06	1201 @ 51	20
5713048	225/50R16	92H	SL	400 A A	10	BLK	7.0	9.01	24.91	1389 @ 51	23
5713050	245/50R16	97H	SL	400 A A	10	BLK	7.5	9.84	25.70	1609 @ 51	27
5713060	215/65R17	99T	SL	400 A B	10	BLK	6.5	8.70	28.00	1709 @ 44	27
5713062	225/65R17	102S	SL	400 A B	10	BLK	6.5	9.00	28.50	1874 @ 44	29
5713066	215/60R17	96T	SL	400 A B	10	BLK	6.5	8.70	27.20	1565 @ 44	26
5713068	225/60R17	99T	SL	400 A B	10	BLK	6.5	9.00	27.60	1709 @ 44	29
5713074	215/55R17	94V	SL	400 A A	10	BLK	7.0	8.40	26.30	1477 @ 51	25
5713076	225/55R17	97V	SL	400 A A	10	BLK	7.0	9.20	26.80	1609 @ 51	26
5713078	235/55R17	99H	SL	400 A A	10	BLK	7.5	9.60	27.20	1709 @ 51	27
5713052	215/50R17	91V	SL	400 A A	10	BLK	7.0	8.71	25.57	1356 @ 51	24
5713054	225/50R17	94V	SL	400 A A	10	BLK	7.0	8.97	25.99	1477 @ 51	24
5713080	225/45R17	91H	SL	400 A A	10	BLK	7.5	8.90	25.00	1356 @ 51	23

“ Designed and Engineered in Japan and manufactured by Sumitomo Rubber Industries. Exclusively Marketed and Distributed in North America by TBC Corporation. ”



TAKE YOUR SALES AND PROFITS TO NEW HEIGHTS WITH THIS EXCITING PROGRAM FROM TBC WHOLESALE! FEATURING POPULAR SIZES IN T, H AND V RATINGS, HIFLY SOARS ABOVE THE COMPETITION WITH AN OUTSTANDING COMBINATION OF QUALITY, PERFORMANCE AND PRICE!

- *M&S Rated For All Season Capability*
- *Silica Based Compound For Superior Wet Traction Performance*
- *Optimized Pitch Design For A Quiet Ride*

UTQG: 400 A A / 400 A B

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
HFPCR61	155/80R13	79T	SL	400 A A	10	BLK	4.5	6.20	21.60	963 @ 44	13
HFPCR146	175/70R13	82T	SL	400 A A	10	BLK	5.0	7.00	22.70	1047 @ 44	15
HFPCR64	185/70R13	86H	SL	400 A A	10	BLK	5.0	7.40	23.20	1168 @ 44	17
HFPCR49	175/70R14	84T	SL	400 A A	10	BLK	5.0	7.00	23.70	1102 @ 44	16
HFPCR14	185/70R14	88H	SL	400 A A	10	BLK	5.5	7.40	24.30	1235 @ 44	18
HFPCR15	195/70R14	91H	SL	400 A A	10	BLK	6.0	7.90	24.80	1356 @ 44	21
HFPCR16	205/70R14	95H	SL	400 A A	10	BLK	6.0	8.20	25.40	1521 @ 44	22
HFPCR17	175/65R14	82H	SL	400 A A	10	BLK	5.0	7.00	23.00	1047 @ 44	16
HFPCR18	185/65R14	86H	SL	400 A A	10	BLK	5.5	7.40	24.40	1168 @ 44	17
HFPCR19	185/60R14	82H	SL	400 A A	10	BLK	5.5	7.40	22.80	1047 @ 44	16
HFPCR20	195/60R14	86H	SL	400 A A	10	BLK	6.0	7.90	23.20	1168 @ 44	18



TAKE YOUR SALES AND PROFITS TO NEW HEIGHTS WITH THIS EXCITING PROGRAM FROM TBC WHOLESALE! FEATURING POPULAR SIZES IN T, H AND V RATINGS, HIFLY SOARS ABOVE THE COMPETITION WITH AN OUTSTANDING COMBINATION OF QUALITY, PERFORMANCE AND PRICE!

- *M&S Rated For All Season Capability*
- *Silica Based Compound For Superior Wet Traction Performance*
- *Optimized Pitch Design For A Quiet Ride*

UTQG: 400 A A / 400 A B

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
HFPCR21	205/70R15	96H	SL	400 A A	10	BLK	6.0	8.20	26.30	1565 @ 44	23
HFPCR22	215/70R15	98H	SL	400 A A	10	BLK	6.5	8.70	26.90	1653 @ 44	24
HFPCR23	185/65R15	88H	SL	400 A A	10	BLK	5.5	7.40	24.40	1235 @ 44	19
HFPCR53	195/65R15	91V	SL	400 A A	10	BLK	6.0	7.90	25.00	1356 @ 44	20
NEW HFPCR110	205/65R15	94V	SL	400 A A	10	BLK	6.0	8.20	25.50	1477 @ 44	22
HFPCR111	215/65R15	96H	SL	400 A A	10	BLK	6.5	8.70	26.00	1565 @ 44	24
HFPCR54	185/60R15	84H	SL	400 A A	10	BLK	5.5	7.40	22.80	1102 @ 44	18
HFPCR55	195/60R15	88V	SL	400 A A	10	BLK	6.0	7.90	24.20	1235 @ 44	19
HFPCR56	205/60R15	91V	SL	400 A A	10	BLK	6.0	8.20	24.70	1356 @ 44	19
HFPCR107	195/50R15	82V	SL	400 A A	10	BLK	6.0	7.90	22.70	1047 @ 44	18
HFPCR112	215/65R16	98H	SL	400 A A	10	BLK	6.5	8.70	27.00	1653 @ 44	25
HFPCR102	205/60R16	92V	SL	400 A A	10	BLK	6.0	8.20	25.70	1389 @ 44	21
HFPCR103	215/60R16	95V	SL	400 A A	10	BLK	6.5	8.70	26.10	1521 @ 44	23
HFPCR32	225/60R16	98H	SL	400 A A	10	BLK	6.5	9.10	26.80	1653 @ 44	25
HFPCR29	205/55R16	91V	SL	400 A A	10	BLK	6.5	8.40	24.90	1356 @ 44	21
HFPCR108	205/50R16	87V	SL	400 A A	10	BLK	6.5	8.40	24.10	1201 @ 44	20

Revenger Tour HTS

60,000 MILE LIMITED TREADWEAR WARRANTY



CONFIDENCE IN MOTION! THE ROAD IS CALLING; GO THERE BOLDLY WITH THE ALL NEW REVENGER TOUR HTS PREMIUM HIGHWAY TIRE. ITS ALL SEASON PERFORMANCE CAPABILITY, RESPONSIVE HANDLING AND SUPERIOR RIDE QUALITY GIVES TODAY'S SUV AND CROSSOVER DRIVERS EVERYTHING THEY NEED TO CONFIDENTLY HANDLE THE MOST CHALLENGING OF CONDITIONS.

- *Advanced "Driver Focused" Engineering Provides A Comfortable And Quiet Ride*
- *Modern All Season Design Combines A Stylish Appearance With Confident Performance In Challenging Conditions*
- *Strategically Placed Traction Elements Enhance Handling And Control In Wet Weather*
- *W & M - Free Replacement 1st 50% Treadwear*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
2241432	235/75R15	105S	SL	500 A B	11	OWL	6.5	9.30	28.70	2039 @ 44	27
2241437	225/75R16	104S	SL	500 A B	11	OWL	6.0	8.70	28.98	1984 @ 44	28
2241434	235/75R16	108S	SL	500 A B	11	OWL	6.5	9.25	29.63	2205 @ 44	32
2241435	245/75R16	111S	SL	500 A B	11	OWL	7.0	9.75	30.20	2403 @ 44	33
2241455	265/75R16	116S	SL	500 A B	11	OWL	7.5	10.60	31.32	2756 @ 44	36
2241419	215/70R16	100S	SL	500 A B	11	OWL	6.5	8.74	27.56	1764 @ 44	27
2241440	225/70R16	103S	SL	500 A B	11	OWL	6.5	9.14	28.20	1929 @ 44	29
2241421	235/70R16	106S	SL	500 A B	11	OWL	7.0	9.40	28.73	2094 @ 44	31
2241422	245/70R16	107S	SL	500 A B	11	OWL	7.0	9.85	29.38	2149 @ 44	32
2241423	255/70R16	111S	SL	500 A B	11	OWL	7.5	10.30	29.80	2403 @ 44	34
2241424	265/70R16	112S	SL	500 A B	11	OWL	8.0	10.80	30.20	2469 @ 44	36
2241450	245/70R17	110S	SL	500 A B	11	OWL	7.0	10.15	30.15	2337 @ 44	33
2241425	265/70R17	115S	SL	500 A B	11	OWL	8.0	10.60	31.33	2679 @ 44	38
2241410	235/65R17	104S	SL	500 A B	11	OWL	7.0	9.45	29.10	1984 @ 44	30
2241401	245/65R17	107S	SL	500 A B	11	OWL	7.0	9.57	29.48	2149 @ 44	33
2241460	265/65R17	112S	SL	500 A B	11	OWL	8.0	10.60	30.40	2470 @ 44	36

GET THE EDGE!

The CoverEDGE that gives you the AdvantEDGE!

Wild Spirit Sport HXT

50,000 MILE LIMITED TREADWEAR WARRANTY



DESIGNED FOR CROSSOVERS, VANS, SUV'S AND FULL SIZE PICKUPS. THE WILD SPIRIT SPORT HXT TAKES TO THE ROAD WITH SMOOTH RIDE COMFORT, ALL SEASON TRACTION PERFORMANCE AND HIGH VALUE IN MIND. FOR DRIVERS SEEKING COMBINATION OF TOURING TIRE LONGEVITY, PERFORMANCE TIRE HANDLING AND LIGHT TRUCK TIRE DURABILITY, THE WILD SPIRIT SPORT HXT ANSWERS THE CALL.

- *T, H and V Rated For Today's Late Model Fitments*
- *Closed Shoulder Design For Noise Reduction And A Comfortable Ride*
- *Solid Center Rib For Enhanced Handling Stability*
- *"Zigzag" Shoulder Siping To Enhance Wet And Snow Traction*
- *Extra-Wide Circumferential Grooves Help Resist Hydroplaning*
- *50,000 Mile/48 Month Mileage Warranty*

UTQG: 500 A A

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS.@ PSI	SHIP WEIGHT (LBS.)	
										SINGLE	DUAL	
HXT61	215/65R17	99T	STD	500 A A	10	BLK	6.5	9.06	28.03	1709 @ 44	-	26
HXT76	225/65R17	102H	STD	500 A A	10	BLK	6.5	9.33	28.50	1874 @ 44	-	27
HXT96	225/60R17	99H	STD	500 A A	10	BLK	6.5	9.33	27.64	1709 @ 44	-	26
HXT07	235/60R17	106H	XL	500 A A	10	BLK	7.0	9.84	28.11	2094 @ 50	-	28
HXT52	255/70R18	113T	STD	500 A A	10	BLK	7.5	10.63	32.09	2535 @ 44	-	34
HXT05	235/65R18	106T	STD	500 A A	10	BLK	7.0	9.44	30.04	2094 @ 44	-	33
HXT37	255/65R18	111T	STD	500 A A	10	BLK	7.5	10.63	31.06	2403 @ 44	-	32
HXT49	235/60R18	107H	XL	500 A A	10	BLK	7.0	9.84	29.09	2149 @ 50	-	29
HXT68	245/60R18	105H	STD	500 A A	10	BLK	7.0	10.16	29.57	2039 @ 44	-	30
HXT91	265/60R18	110H	STD	500 A A	10	BLK	8.0	11.14	30.51	2337 @ 44	-	32
HXT92	225/55R18	98H	STD	500 A A	10	BLK	7.0	9.53	27.78	1653 @ 44	-	27
HXT34	235/55R18	100H	STD	500 A A	10	BLK	7.5	10.04	28.15	1764 @ 44	-	29
HXT88	255/55R18	109V	XL	500 A A	10	BLK	8.0	10.87	29.02	2271 @ 50	-	31
HXT48	275/55R20	113H	STD	500 A A	10	BLK	8.5	11.48	31.89	2535 @ 44	-	43

GET THE EDGE!

The CoverEDGE that gives you the AdvantEDGE!

Wild Spirit Sport H/T

65,000 MILE LIMITED TREADWEAR WARRANTY



THE PERFECT O.E. UPGRADE, COMBINING THE SMOOTH RIDE OF AN ALL WEATHER TOURING TIRE WITH THE STRENGTH AND DURABILITY OF A LIGHT TRUCK TIRE. DESIGNED TO MEET THE NEED OF TODAY'S CROSSOVERS, SUV'S, PICK-UPS & VANS.

- *Premium Touring Tire Designed For Todays Sport Utility And Crossover Vehicles*
- *Computer Generated All Season Tread Design For All Weather Performance*
- *Wide Circumferential Grooves For Excellent On-Road Comfort And Responsiveness*
- *Slotted Shoulder And Lateral Slots Provide Exceptional Wet, Dry And Snow Traction*
- *Solid Center Rib For Improved Steering Response*

UTQG: 540 A B (Metric Only)

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS.@ PSI		SHIP WEIGHT (LBS.)
										SINGLE	DUAL	
WSH51	225/75R15	102S	SL	540 A B	13	OWL	6.0	8.95	28.20	1874 @ 44	-	27
WSH50	265/75R15	112S	SL	540 A B	14	OWL	7.5	10.65	30.50	2469 @ 44	-	37
WSH96	225/70R15	100S	SL	540 A B	12	OWL	6.5	9.10	27.25	1764 @ 44	-	27
WSH49	235/70R15	103S	SL	540 A B	12	OWL	7.0	9.65	27.80	1929 @ 44	-	29
WSH91	265/70R15	112S	SL	540 A B	13	OWL	8.0	10.45	29.43	2469 @ 44	-	36
WSH65	255/65R16	109S	SL	540 A B	12	OWL	7.5	10.24	29.06	2271 @ 44	-	33
WSH70	LT245/70R17	119/116R	E	-	16	BLK	7.0	9.56	30.60	3000 @ 80	2755 @ 80	45

Trailcutter HLT

50,000 MILE LIMITED TREADWEAR WARRANTY



A DURABLE, QUIET RUNNING AND LONG LASTING HIGHWAY ALL SEASON TIRE THAT DELIVERS A SMOOTH RIDE AND SUPERIOR YEAR ROUND TRACTION. FEATURES A PREMIUM SLOTTED SHOULDER DESIGN FOR ENHANCED TRACTION PERFORMANCE AND EVEN WEAR..

- *5-Rib All Season Tread Design For Excellent Traction*
- *Alternating Shoulder Slots For Improved Wear And All Season Performance*
- *Four Circumferential Grooves For Improved Traction*
- *Large Shoulder Elements To Promote Long Even Wear*
- *Center Rib For Good Steering Response*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS. @ PSI		SHIP WEIGHT (LBS.)
									SINGLE	DUAL	
HLT12	LT235/75R15	104/101S	C	15	BLK	6.5	9.70	29.10	1985 @ 50	1820 @ 50	34
HLT15	LT215/85R16	115/112S	E	15	BLK	6.0	8.40	30.10	2680 @ 80	2470 @ 80	38
HLT17	LT235/85R16	120/116S	E	15	BLK	6.5	9.20	31.40	3080 @ 80	2780 @ 80	44
HLT25	LT225/75R16	115/112S	E	15	BLK	6.0	8.70	29.00	2680 @ 80	2470 @ 80	37
HLT38	LT245/75R16	120/116S	E	15	BLK	7.0	9.70	30.20	3042 @ 80	2778 @ 80	44
HLT39	LT265/75R16	123/120S	E	15	BLK	7.5	10.40	31.40	3415 @ 80	3085 @ 80	48
NEW!	HLT95*	LT235/80R17	120/117R	E	BLK	6.5	—	—	3085 @ 80	2835 @ 80	—
NEW!	HLT19*	LT245/75R17	121/118S	E	BLK	7.0	—	—	3195 @ 80	2910 @ 80	—
NEW!	HLT70*	LT245/70R17	119/116R	E	BLK	7.0	—	—	3000 @ 80	2755 @ 80	—
NEW!	HLT91*	LT265/70R17	121/118S	E	BLK	8.0	—	—	3085 @ 80	2835 @ 80	—

* Available 2nd Qtr 2014

GET THE EDGE!

The CoverEDGE that gives you the AdvantEDGE!

HIFLY HT601



EXCELLENT VALUE, QUALITY & PERFORMANCE FOR SUV, LIGHT TRUCK & COMMERCIAL LT APPLICATIONS! THE HT601 PROVIDES A SMOOTH COMFORTABLE HIGHWAY RIDE, ALL SEASON TRACTION PERFORMANCE & SUPERIOR DURABILITY, PACKAGED IN A STYLISH 5 RIB TREAD DESIGN THAT PROMOTES EVEN WEAR, ENHANCED STEERING STABILITY & HANDLING RESPONSIVENESS!

- *M & S Rated For All Season Performance*
- *4 Circumferential Grooves Deliver Excellent Performance On Wet Roads*
- *Variable Pitch Tread Design For A Comfortable Quiet Ride*
- *Silica Technology And High Density Sipes Deliver Smooth Ride, Reduced Noise And Improved Wet And Dry Traction*

UTQG: 440 A A (Metric Only)

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32nd)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS. @ PSI		SHIP WEIGHT (lbs.)
										SINGLE	DUAL	
HFPCR155	235/75R15	109H	XL	440 A A	11	BLK	6.5	9.25	28.86	2271 @ 50	—	29
HFPCR153	235/70R16	106H	STD	440 A A	11	BLK	7.0	9.45	28.98	2094 @ 44	—	30
HFPCR154	245/70R16	111H	XL	440 A A	11	BLK	7.0	9.76	29.53	2403 @ 50	—	31
HFPCR162	255/70R16	111T	STD	440 A A	11	BLK	7.5	10.20	30.10	2403 @ 35	—	35
HFPCR163	265/70R16	112H	STD	440 A A	11	BLK	8.0	10.70	30.60	2469 @ 44	—	37
HFPCR164	245/70R17	110T	STD	440 A A	11	BLK	7.0	9.80	30.60	2337 @ 35	—	35
HFPCR165	265/70R17	115T	STD	440 A A	11	BLK	8.0	10.70	31.70	2649 @ 35	—	40
HFPCR161	245/65R17	111H	XL	440 A A	11	BLK	7.0	9.80	29.50	2403 @ 50	—	33
HFLT79*	LT235/75R15	104/101R	C / 6	—	13	BLK	6.5	9.29	28.90	1984 @ 50	1819 @ 80	33
NEW HFLT98**	LT215/85R16	115/112R	E / 10	—	13	BLK	6.0	8.50	30.39	2680 @ 80	2470 @ 80	—
HFLT84*	LT235/85R16	120/116R	E / 10	—	13	BLK	6.5	9.25	31.73	3086 @ 80	2756 @ 80	42
HFLT80*	LT225/75R16	115/112S	E / 10	—	13	BLK	6.0	8.78	29.29	2649 @ 80	2469 @ 80	36
HFLT81*	LT245/75R16	120/116S	E / 10	—	13	BLK	7.0	9.76	30.47	3086 @ 80	2756 @ 80	41
HFLT82*	LT265/75R16	123/120R	E / 10	—	13	BLK	7.5	10.50	31.65	3417 @ 80	3086 @ 80	46
HFLT83*	LT245/75R17	121/118S	E / 10	—	13	BLK	7.0	9.76	31.50	3297 @ 80	2910 @ 80	46
HFLT78*	LT265/70R17	121/118S	E / 10	—	13	BLK	8.0	10.70	31.65	3297 @ 80	2910 @ 80	46
HFLT77*	31X10.5R15LT	109R	C / 6	—	13	BLK	8.5	10.59	30.51	2271 @ 50	—	38

* Slightly Different Tread Design

** Available April 2014

Creation LT



A VALUE PRICED HIGH QUALITY LT TIRE FOR HIGHWAY ALL SEASON APPLICATIONS. AVAILABLE IN EIGHT POPULAR 15"-17" SIZES, CREATION CARRIES AN M&S RATING FOR YEAR ROUND PERFORMANCE CAPABILITY.

- *Solid Multi-Siped Center Rib Provides Stability And Traction*
- *Wide Circumferential Grooves Enhance Water Evacuation*
- *Jointless Nylon Band Improves Tread Stiffness And Uniformity*
- *Economy Priced For Outstanding Value*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS. @ PSI		SHIP WEIGHT (LBS.)
									SINGLE	DUAL	
HFLT46	LT235/75R15	104/101R	C	14	BLK	6.5	9.29	28.90	1985 @ 50	1820 @ 50	35
HFLT01	LT215/85R16	115/112Q	E	14	BLK	6.0	8.50	30.39	2680 @ 80	2470 @ 80	37
HFLT03	LT235/85R16	120/116Q	E	15	BLK	6.5	9.25	31.73	3042 @ 80	2778 @ 80	41
HFLT02	LT225/75R16	115/112Q	E	14	BLK	6.0	8.78	29.29	2680 @ 80	2470 @ 80	35
HFLT04	LT245/75R16	120/116Q	E	15	BLK	7.0	9.76	30.47	3042 @ 80	2778 @ 80	41
HFLT05	LT265/75R16	123/120Q	E	15	BLK	7.5	10.50	31.65	3415 @ 80	3085 @ 80	45
HFLT06	LT245/75R17	121/118R	E	15	BLK	7.0	9.76	31.50	3195 @ 80	2910 @ 80	44
HFLT07	LT265/70R17	121/118R	E	15	BLK	8.0	10.70	31.65	3195 @ 80	2910 @ 80	45

Trailcutter AT2

50,000 MILE LIMITED TREADWEAR WARRANTY



THE NEXT GENERATION OF ALL TERRAIN PERFORMANCE! SUPERIOR ALL SEASON TRACTION AND RIDE QUALITY COMBINED WITH AN AGGRESSIVE AND RUGGED DESIGN, TO GET YOU THERE BOTH ON AND OFF THE ROAD!

- *Optimized Construction For Maximum Performance*
- *Strategically Placed Tread & Shoulder Elements For Maximum Traction*
- *Stylized, Aggressive Tread Design For Maximum Appeal*
- *Optimized Tread Footprint For Enhanced Handling And Worn Appearance*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
1252828	235/75R15	105T	SL	500 A B	13	OWL	6.5	9.25	28.68	2039 @ 44	31
WST50*	265/75R15	112S	SL	500 A B	14	OWL	7.5	10.50	30.69	2469 @ 44	37
1252834	225/75R16	104T	SL	500 A B	13	OWL	6.0	8.64	26.10	1984 @ 44	29
1252836	235/75R16	108T	SL	500 A B	13	OWL	6.5	9.30	29.66	2205 @ 44	33
1252837	245/75R16	111T	SL	500 A B	13	OWL	7.0	9.60	30.25	2403 @ 44	35
1252838	265/75R16	116T	SL	500 A B	13	OWL	7.5	10.64	31.50	2756 @ 44	39
1252860	225/70R16	103T	SL	500 A B	13	OWL	6.5	9.00	28.62	1929 @ 44	31
1252862	235/70R16	106T	SL	500 A B	13	OWL	7.0	9.41	28.80	2094 @ 44	32
1252864	245/70R16	107T	SL	500 A B	13	OWL	7.0	9.75	29.40	2149 @ 44	34
1252866	255/70R16	111T	SL	500 A B	13	OWL	7.5	10.24	29.97	2403 @ 44	35
1252868	265/70R16	112T	SL	500 A B	13	OWL	8.0	10.80	30.34	2469 @ 44	37
1252870	235/70R17	111T	XL	500 A B	13	BLK	7.0	9.47	29.98	2403 @ 50	35
1252872	245/70R17	110T	SL	500 A B	13	OWL	7.0	9.68	30.45	2337 @ 44	37
1252874	255/70R17	112T	SL	500 A B	13	OWL	7.5	10.24	31.17	2489 @ 44	41
1252876	265/70R17	115T	SL	500 A B	13	OWL	8.0	10.68	31.37	2679 @ 44	40
1252880	245/65R17	107T	SL	500 A B	13	OWL	7.0	9.53	29.51	2149 @ 44	34
1252882	255/65R17	110T	SL	500 A B	13	OWL	7.5	10.09	30.11	2337 @ 44	37
1252884	265/65R17	112T	SL	500 A B	13	OWL	8.0	10.60	30.58	2469 @ 44	39
1252878	265/70R18	116T	SL	500 A B	13	OWL	8.0	10.72	32.57	2756 @ 44	42
1252886	265/65R18	114T	SL	500 A B	13	OWL	8.0	10.70	31.51	2601 @ 44	40
1252888	275/65R18	116T	SL	500 A B	13	OWL	8.0	11.00	32.14	2756 @ 44	42
1252892	265/60R18	110T	SL	500 A B	13	OWL	8.0	10.52	30.56	2337 @ 44	39
1252894	275/60R20	115T	SL	500 A B	13	BLK	6.5	10.93	33.04	2679 @ 44	43
1252896	275/55R20	117T	XL	500 A B	13	BLK	6.0	10.95	31.94	2833 @ 50	41

* Branded Wild Spirit AT/S (See picture on page 35)

Trailcutter AT2

50,000 MILE LIMITED TREADWEAR WARRANTY



THE NEXT GENERATION OF ALL TERRAIN PERFORMANCE! SUPERIOR ALL SEASON TRACTION AND RIDE QUALITY COMBINED WITH AN AGGRESSIVE AND RUGGED DESIGN, TO GET YOU THERE BOTH ON AND OFF THE ROAD!

- *Optimized Construction For Maximum Performance*
- *Strategically Placed Tread & Shoulder Elements For Maximum Traction*
- *Stylized, Aggressive Tread Design For Maximum Appeal*
- *Optimized Tread Footprint For Enhanced Handling And Worn Appearance*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS.@ PSI		SHIP WEIGHT (LBS.)
									SINGLE	DUAL	
1252948	LT235/75R15	104/101R	C	16	OWL	6.5	9.15	28.90	1985 @ 50	1820 @ 50	35
1252920	LT215/85R16	115/112R	E	16	BLK	6.0	8.42	30.30	2680 @ 80	2470 @ 80	38
1252926	LT235/85R16	120/116R	E	16	BLK	6.5	8.36	31.78	3042 @ 80	2778 @ 80	42
1252955	LT225/75R16	115/112R	E	16	BLK	6.0	8.92	29.39	2680 @ 80	2470 @ 80	37
1252960	LT245/75R16	120/116R	E	16	OWL	7.0	9.26	30.37	3042 @ 80	2778 @ 80	43
1252964	LT265/75R16	123/102R	E	16	OWL	7.5	10.63	31.60	3415 @ 80	3085 @ 80	49
1252968	LT285/75R16	126/123R	E	17	OWL	8.0	11.47	32.60	3750 @ 80	3415 @ 80	54
1252928	LT235/80R17	120/117R	E	16	OWL	6.5	9.23	31.78	3085 @ 80	2835 @ 80	43
1252969	LT245/75R17	121/118S	E	16	OWL	7.0	9.95	31.50	3195 @ 80	2910 @ 80	46
1252970	LT245/70R17	119/116R	E	16	OWL	7.0	9.86	30.55	3000 @ 80	2755 @ 80	43
1252972	LT265/70R17	112/109R	C	16	OWL	8.0	10.61	31.58	2470 @ 50	2270 @ 50	47
1252974	LT265/70R17	121/118R	E	16	OWL	8.0	10.90	31.60	3195 @ 80	2910 @ 80	50
1252980	LT285/70R17	121/118S	E	17	BLK	8.5	11.69	32.76	3195 @ 80	2910 @ 80	54
1252902	LT315/70R17	121/118R	D	17	OWL	9.5	12.60	34.33	3195 @ 50	2910 @ 50	61
1252984	LT275/70R18	125/122S	E	16	OWL	8.0	11.11	33.15	3640 @ 80	3305 @ 80	53
1252986	LT275/65R18	123/120S	E	16	OWL	8.0	11.11	32.10	3415 @ 80	3085 @ 80	51
1252988	LT285/65R18	125/122S	E	16	OWL	8.5	11.63	32.56	3640 @ 80	3305 @ 80	54
1252990	LT275/65R20	126/123S	E	16	BLK	8.0	11.10	34.20	3750 @ 80	3415 @ 80	55
1252901	31X10.50R15	109R	C	16	OWL	8.5	10.70	30.30	2270 @ 50	-	41
WST41*	32X11.50R15	113R	C	17	OWL	9.0	11.42	31.52	2535 @ 50	-	45
WST33*	33X12.50R15	108R	C	17	OWL	10.0	12.50	31.52	2205 @ 35	-	50

* Branded Wild Spirit AT/S (See picture on page 35)

Radial SUV

40,000 MILE LIMITED TREADWEAR WARRANTY



A VERSATILE ALL SEASON TIRE WITH OFF-ROAD CAPABILITIES. AN ALL PURPOSE TIRE AVAILABLE IN SIZING FOR SUV'S, PICK-UPS AND VANS.

- *Distinctive Siping And Circumferential Grooves Provide Improved Wet Weather Traction*
- *Five Rib All Season Design For Longer Even Treadwear*
- *Alternating Tread Elements For A Quieter Ride*
- *Rigid Sidewall Enhances Handling And Stability*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)
D1-45**	215/75R15	100S	SL	460 A B	11	OWL	6.0	8.40	21.55	1764 @ 44	22
2240031	P225/75R15	102S	SL	460 A B	11	OWL	6.0	9.00	28.10	1874 @ 44	27
2240032	P235/75R15	105S	SL	460 A B	11	OWL	6.5	9.30	28.70	2028 @ 44	28
2240033	P235/75R15	108S	XL	460 A B	11	OWL	6.5	9.30	28.90	2183 @ 44	31
2240034	P265/75R15	112S	SL	460 A B	11	OWL	7.5	10.70	30.40	2469 @ 44	35
1240017*	P235/70R15	103S	SL	460 A B	11	OWL	7.0	9.70	27.70	1929 @ 44	28
2240035	P245/75R16	109S	SL	460 A B	11	OWL	7.0	10.80	30.20	2271 @ 44	33
2240036	P265/75R16	114S	SL	460 A B	11	OWL	7.5	10.60	31.30	2601 @ 44	36
1240015*	215/70R16	100S	SL	460 A B	11	OWL	6.5	8.70	27.60	1764 @ 44	27
D1-77**	225/70R16	103S	SL	460 A B	11	OWL	6.5	9.14	28.20	1929 @ 44	28
2240020	P235/70R16	104S	SL	460 A B	11	OWL	7.0	10.70	30.40	1984 @ 44	31
2240021	P245/70R16	106S	SL	460 A B	11	OWL	7.0	9.40	28.70	2094 @ 44	32
2240022	P255/70R16	109S	SL	460 A B	11	OWL	7.5	9.90	29.40	2271 @ 44	34
2240023	265/70R16	112S	SL	460 A B	11	OWL	8.0	10.30	29.80	2469 @ 44	35
1240045*	245/70R17	110S	SL	460 A B	11	OWL	7.0	10.15	30.15	2337 @ 44	33
2240050	265/70R17	115S	SL	460 A B	11	OWL	8.0	10.60	31.33	2679 @ 44	37
2240040	245/65R17	107S	SL	460 A B	11	OWL	7.0	9.60	29.50	2149 @ 44	33

* Branded Tempra SUV (See picture on page 35)

** Branded Wild Spirit A/S (See picture on page 35)

Revenger APR



A VERSATILE ALL SEASON TIRE WITH OFF-ROAD CAPABILITIES. AN ALL PURPOSE TIRE AVAILABLE IN SIZING FOR SUV'S, PICK-UPS AND VANS.

- *Distinctive Siping And Circumferencial Grooves Provide Improved Wet Weather Traction*
- *Five Rib All Season Design For Longer Even Treadwear*
- *Alternating Tread Elements For A Quieter Ride*
- *Rigid Sidewall Enhances Handling And Stability*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS.@ PSI		SHIP WEIGHT (LBS.)
									SINGLE	DUAL	
2250130	LT235/75R15	104/101R	C	14	OWL	6.5	9.20	28.80	1985 @ 50	1820 @ 50	32
WTR15*	LT215/85R16	115/112R	E	14	BLK	6.0	8.35	30.20	2680 @ 80	2470 @ 80	34
2250151	LT235/85R16	120/116R	E	14	BLK	6.5	9.30	31.50	3042 @ 80	2778 @ 80	38
2250152	LT225/75R16	115/112R	E	14	BLK	6.0	8.60	29.24	2680 @ 80	2470 @ 80	34
2250132	LT245/75R16	120/116R	E	14	BLK	7.0	9.60	30.30	3042 @ 80	2778 @ 80	38
2250133	LT265/75R16	112/109R	C	14	OWL	7.5	10.60	31.45	2470 @ 50	2270 @ 50	39
2250134	LT265/75R16	123/120R	E	14	OWL	7.5	10.55	31.50	3415 @ 80	3085 @ 80	43
WTR88*	LT285/75R16	122/119R	D	14	OWL	8.0	11.30	32.60	3305 @ 65	3000 @ 65	47
2250120	LT265/70R17	121/118R	E	14	OWL	8.0	10.90	31.50	3195 @ 80	2910 @ 80	46
WTR78*	30X9.50R15LT	104R	C	14	OWL	7.5	9.60	29.20	1985 @ 50	—	34
2250101	31X10.50R15LT	109R	C	14	OWL	8.5	10.70	30.24	2270 @ 50	—	38

* Branded Wild Trail All Season (See picture on page 35)

Trail Guide AP



A VALUE PRICE ALL SEASON, ALL TERRAIN TIRE AVAILABLE IN SIZING FOR BOTH SUV'S AND PICK-UPS.

- All Terrain Tread Design For Dependable Traction
- Wide Circumferential Grooves For Improved Wet Traction
- Center Rib For A Longer Even Highway Wear
- Variable Pitch Sequence For A Quiet Smooth Ride

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS. @ PSI		SHIP WEIGHT (LBS.)
										SINGLE	DUAL	
TGR64	235/75R15	105S	SL	400 A B	11	OWL	6.5	9.25	28.86	2039 @ 44	—	31
TGR79	245/75R16	111S	SL	400 A B	11	OWL	7.0	9.76	30.47	2403 @ 44	—	38
TGR81	265/75R16	116S	SL	400 A B	11	OWL	7.5	10.51	31.65	2756 @ 44	—	39
TGR53	235/70R16	106S	SL	400 A B	11	OWL	7.0	9.45	28.98	2094 @ 44	—	32
TGR80	245/70R16	107S	SL	400 A B	11	OWL	7.0	9.76	29.53	2149 @ 44	—	34
TGR86	255/70R16	111S	SL	400 A B	11	OWL	7.5	10.24	30.08	2403 @ 44	—	36
TGR93	265/70R16	112S	SL	400 A B	11	OWL	8.0	10.71	30.63	2469 @ 44	—	38
TGR89	245/70R17	110S	SL	400 A B	11	OWL	7.0	9.76	30.55	2337 @ 44	—	36
TGR87	265/70R17	115S	SL	400 A B	11	OWL	8.0	10.71	31.65	2679 @ 44	—	40
TGR82	235/65R17	104S	SL	400 A B	11	OWL	7.0	9.45	29.06	1984 @ 44	—	32
TGR67	245/65R17	107S	SL	400 A B	11	OWL	7.0	9.76	29.53	2149 @ 44	—	34
TGR15	LT215/85R16	115/112Q	E	—	14	BLK	6.0	8.50	30.39	2680 @ 80	2470 @ 80	39
TGR17	LT235/85R16	120/116Q	E	—	14	BLK	6.5	9.25	31.73	3042 @ 80	2778 @ 80	41
TGR26	LT225/75R16	115/112Q	E	—	14	BLK	6.0	8.78	29.29	2680 @ 80	2470 @ 80	37
TGR38	LT245/75R16	120/116Q	E	—	14	OWL	7.0	9.76	30.47	3042 @ 80	2778 @ 80	42
TGR39	LT265/75R16	123/120Q	E	—	14	OWL	7.5	10.51	31.65	3415 @ 80	3085 @ 80	46
TGR92	LT265/70R17	121/118Q	E	—	14	OWL	8.0	10.71	31.65	3195 @ 80	2910 @ 80	48
TGR44	31x10.50R15LT	109Q	C	—	14	OWL	8.5	10.54	30.52	2270 @ 50	—	40



NEW SIZES!



OUTSTANDING ON AND OFF ROAD PERFORMANCE AT A VALUE PRICE. THE HIFLY AT COMBINES RUGGED DURABILITY, SUPERIOR ALL SEASON TRACTION AND REFINED ROAD MANNERS TO DELIVER PERFORMANCE YOU CAN COUNT ON AT A PRICE YOU CAN AFFORD!

- Specially Designed Tread Compound And Wide Footprint For Extended Tread Life And Superior Braking Power
- Block Tread Design With Multiple Siping Patterns For Outstanding Off Road Traction
- Open Shoulder Grooves And Cross Tread Channeling For Excellent Water Evacuation
- Steel Belted Construction And Jointless Nylon Wrap Overlay For Enhanced Tread Durability

UTQG: 460 A B (Metric Only)

	ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)	
											SINGLE	DUAL	
NEW	HFPCR179*	235/75R15	109S	XL	460 A B	13	BLK	6.5	9.3	28.9	2271 @ 50	—	31
NEW	HFPCR180*	245/75R16	111S	SL	460 A B	13	BLK	7.0	9.8	30.5	2403 @ 44	—	34
NEW	HFPCR181*	265/75R16	116S	SL	460 A B	13	BLK	7.5	10.5	31.7	2755 @ 44	—	38
NEW	HFPCR172*	235/70R16	106T	SL	460 A B	13	BLK	7.0	9.4	29.0	2094 @ 44	—	32
NEW	HFPCR173*	245/70R16	107T	SL	460 A B	13	BLK	7.0	9.8	29.5	2150 @ 44	—	33
NEW	HFPCR174*	255/70R16	111T	SL	460 A B	13	BLK	7.5	10.2	30.1	2403 @ 44	—	34
NEW	HFPCR175*	265/70R16	112T	SL	460 A B	13	BLK	8.0	10.7	30.6	2469 @ 44	—	36
NEW	HFPCR176*	245/70R17	110T	SL	460 A B	13	BLK	7.0	9.8	30.6	2337 @ 44	—	34
NEW	HFPCR177*	265/70R17	115T	SL	460 A B	13	BLK	8.0	10.7	31.7	2679 @ 44	—	38
NEW	HFPCR178*	P285/70R17	117T	SL	460 A B	13	BLK	8.5	11.5	32.8	2833 @ 44	—	41
NEW	HFPCR171*	245/65R17	107T	SL	460 A B	13	BLK	7.0	9.8	29.5	2150 @ 44	—	33
NEW	HFPCR182*	265/65R17	112T	SL	460 A B	13	BLK	8.0	10.7	30.6	2469 @ 44	—	38
	HFLT66	LT235/75R15	104/101R	C / 6	—	16	BLK	6.5	9.30	28.90	1985 @ 50	1820 @ 50	35
	HFLT59	LT215/85R16	115/112R	E / 10	—	16	BLK	6.0	8.50	30.40	2680 @ 80	2470 @ 80	38
	HFLT61	LT235/85R16	120/116R	E / 10	—	16	BLK	6.5	9.30	31.70	3042 @ 80	2778 @ 80	43
	HFLT60	LT225/75R16	115/112S	E / 10	—	16	BLK	6.0	8.80	29.30	2680 @ 80	2470 @ 80	36
	HFLT62	LT245/75R16	120/116S	E / 10	—	16	BLK	7.0	9.80	30.50	3042 @ 80	2773 @ 80	42
	HFLT63	LT265/75R16	123/120R	E / 10	—	16	BLK	7.5	10.50	31.70	3415 @ 80	3085 @ 80	46
NEW	HFLT92*	LT285/75R16	126/123R	E / 10	—	16	BLK	8.0	11.30	32.80	3750 @ 80	3415 @ 80	—
	HFLT64	LT245/75R17	121/118S	E / 10	—	16	BLK	7.0	9.80	31.50	3195 @ 80	2910 @ 80	35
	HFLT65	LT265/70R17	121/118S	E / 10	—	16	BLK	8.0	10.60	31.70	3195 @ 80	2910 @ 80	47
NEW	HFLT91*	LT285/70R17	121/118R	E / 10	—	16	BLK	8.5	11.50	32.80	3195 @ 80	2910 @ 80	—
	HFLT58	31X10.50R15LT	109R	C / 6	—	16	BLK	8.5	10.60	30.50	2270 @ 50	—	40

* Available 1st Qtr 2014

Trailcutter RTX



GO TO THE EXTREME WITH THIS RUGGED, STYLISH AND HARD WORKING ON AND OFF ROAD TRACTION TIRE. THE TRAILCUTTER RTX COMBINES SUPERIOR ALL SURFACE TRACTION, AN AGGRESSIVE EYE CATCHING DESIGN AND OUTSTANDING DURABILITY TO SET THE NEW STANDARD IN THE HIGH VALUE TRACTION SEGMENT. WORK HARD AND PLAY HARD WITH THE TRAILCUTTER RTX! FOR PICKUP AND SUV APPLICATIONS REQUIRING ON AND OFF ROAD TRACTION PERFORMANCE.

- *Aggressive Design for Superior Year Round On and Off Road Traction*
- *Cut & Chip Resistant Compound for Rugged Durability*
- *Silica Compounding Enhances Wet Traction Capability*
- *Full Width Nylon Overwrap for Increased Load Carrying Capacity*
- *Heavy Duty Sidewall Resists Punctures*
- *Deep 18/32nds Tread for Long Lasting Performance*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS.@ PSI		SHIP WEIGHT (LBS.)
									SINGLE	DUAL	
TCR17	LT235/85R16	120/116Q	E	18	BLK	6.5	9.30	31.70	3042 @ 80	2778 @ 80	51
TCR26	LT225/75R16	115/112Q	E	18	BLK	6.0	8.80	29.30	2680 @ 80	2470 @ 80	41
TCR38	LT245/75R16	120/116Q	E	18	BLK	7.0	9.80	30.50	3042 @ 80	2778 @ 80	47
TCR39	LT265/75R16	123/120Q	E	18	BLK	7.5	10.50	31.70	3415 @ 80	3085 @ 80	54
TCR67	LT285/75R16	126/123Q	E	18	BLK	8.0	11.30	33.10	3750 @ 80	3415 @ 80	61
TCR95	LT235/80R17	120/117Q	E	18	BLK	6.5	9.30	31.80	3085 @ 80	2835 @ 80	46
TCR19	LT245/75R17	121/118Q	E	18	BLK	7.0	9.80	31.50	3195 @ 80	2910 @ 80	50
TCR70	LT245/70R17	119/116Q	E	18	BLK	7.0	9.80	30.60	3000 @ 80	2755 @ 80	46
TCR92	LT265/70R17	121/118Q	E	18	BLK	8.0	10.70	31.70	3195 @ 80	2910 @ 80	50
TCR84	LT285/70R17	121/118Q	E	18	BLK	8.5	11.50	32.80	3195 @ 80	2910 @ 80	55
TCR72	LT275/70R18	125/122Q	E	18	BLK	8.0	11.00	33.20	3640 @ 80	3305 @ 80	55
TCR40*	LT275/65R18	123/120Q	E	18	BLK	8.0	11.00	32.10	3415 @ 80	3085 @ 80	50
TCR43*	LT275/65R20	126/123Q	E	18	BLK	8.0	11.00	34.10	3750 @ 80	3415 @ 80	57

* Available 1st Qtr 2014

Trailcutter R/T



COMMERCIAL TRACTION TIRE WITH AN AGGRESSIVE LUG DESIGN THAT OFFERS HEAVY DUTY ON AND OFF-ROAD DURABILITY. EXCELLENT IN BOTH RECREATIONAL AND COMMERCIAL APPLICATIONS.

- *Deep Tread Provides Outstanding On Or Off-Road Traction*
- *Extensive Size Line-Up For The Light Truck Market*
- *Tread Compound That Perform In All Seasons And On All Surfaces*
- *Outer Tread Blocks Are Pinned For Studs Allowing For Greater Ice And Snow Traction*
- *Premium Casing Designed To Offer Extra Load Carrying Capacity*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS. @ PSI	SHIP WEIGHT (LBS.)	
									SINGLE	DUAL	
1251530	LT235/75R15	104/101Q	C	18	OWL	6.5	9.14	28.62	1985 @ 50	1820 @ 50	36
1251550	LT215/85R16	115/112N	E	18	RBL	6.0	8.41	30.48	2680 @ 80	2470 @ 80	40
1251551	LT235/85R16	120/116Q	E	18	RBL	6.5	9.29	31.90	3042 @ 80	2778 @ 80	45
1251552	LT255/85R16	119/116N	D	18	OWL	7.0	10.04	33.21	3000 @ 65	2755 @ 65	48
1251531	LT225/75R16	115/112N	E	18	RBL	6.0	8.54	29.35	2680 @ 80	2470 @ 80	40
1251532	LT245/75R16	120/116Q	E	18	RBL	7.0	9.76	30.53	3042 @ 80	2778 @ 80	46
1251534	LT265/75R16	112/109N	C	18	OWL	7.5	10.50	31.64	2470 @ 50	2270 @ 50	46
1251533	LT265/75R16	123/120Q	E	18	OWL	7.5	10.59	31.76	3415 @ 80	3085 @ 80	51
1251536	LT285/75R16	122/119N	D	20	OWL	8.0	11.30	32.80	3305 @ 65	3000 @ 65	56
1251537	LT315/75R16	121Q	D	20	OWL	8.5	12.87	34.60	3195 @ 50	—	65
1251520	LT305/70R16	118/115Q	D	18	OWL	9.0	12.29	32.81	2910 @ 50	2680 @ 50	57
1251540	LT235/80R17	120/117Q	E	18	OWL	6.5	9.40	31.85	3085 @ 80	2835 @ 80	46
1251524	LT265/70R17	121/118Q	E	18	OWL	8.0	11.03	31.65	3195 @ 80	2910 @ 80	52
1251518	LT275/70R18	125/122Q	E	18	OWL	8.0	10.95	33.30	3640 @ 80	3305 @ 80	56
1251515	LT275/65R18	123/120Q	E	18	OWL	8.0	10.90	32.30	3415 @ 80	3085 @ 80	55
1251500	30X9.50R15LT	104Q	C	18	OWL	7.5	9.63	29.35	1985 @ 50	—	37
1251501	31X10.50R15LT	109Q	C	18	OWL	8.5	10.71	30.47	2270 @ 50	—	42
1251507	35X12.50R15LT	113Q	C	20	OWL	10.0	12.87	34.88	2535 @ 35	—	64

Mud Claw M/T



NEW SIZES!



A HIGH QUALITY, HIGH VALUE AND HIGH STYLE COMBINATION! THE MUD CLAW M/T GIVES YOU THE SUPERIOR TRACTION PERFORMANCE YOU NEED AND THE HEAD TURNING LOOK YOU WANT IN A PREMIUM MUD TIRE. FEATURING A RUGGED CONTEMPORARY DESIGN AND PINNED FOR STUDS FOR USE IN WINTER WEATHER CONDITIONS.

- *Deep, Aggressive, High Void Design Provides Superior Off-Road Performance*
- *Self Cleaning Interlocking Tread Lugs For Outstanding Traction In Mud And Soft Soils*
- *Alternating Lug Dimensions For Increased Lateral Stability And Bi-Direction Traction*
- *Staggered Shoulder Blocks For Enhanced Off-Road Grip*
- *Pinned For Studs For Improved Traction In Winter*

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	MAX. LOAD LBS. @ PSI		SHIP WEIGHT (LBS.)	
									SINGLE	DUAL		
CLW12	LT235/75R15	104/101Q	C	16	OWL	6.5	9.00	28.90	1985 @ 50	1820 @ 50	33	
CLW17	LT235/85R16	120/116N	E	16	BLK	6.5	9.30	31.80	3042 @ 80	2778 @ 80	41	
CLW38	LT245/75R16	120/116N	E	15	BLK	7.0	9.50	30.70	3042 @ 80	2778 @ 80	38	
CLW32	LT265/75R16	112/109N	C	16	OWL	7.5	10.10	32.00	2470 @ 50	2270 @ 50	45	
CLW39	LT265/75R16	123/120N	E	16	OWL	7.5	10.10	31.90	3415 @ 80	3085 @ 80	49	
CLW88	LT285/75R16	122/119N	D	16	OWL	8.0	11.30	33.10	3305 @ 65	3000 @ 65	52	
CLW77	LT315/75R16	121 N	D	20	OWL	8.5	12.47	34.75	3195 @ 50	-	62	
CLW95	LT235/80R17	120/117Q	E	18	OWL	6.5	9.40	31.85	3085 @ 80	2835 @ 80	46	
CLW19	LT245/75R17	121/118Q	E	18	OWL	7.0	9.59	31.75	3195 @ 80	2910 @ 80	48	
CLW92	LT265/70R17	121/118Q	E	16	OWL	8.0	10.94	31.60	3195 @ 80	2910 @ 80	50	
CLW83	LT285/70R17	121/118Q	D	18	OWL	8.5	11.35	32.80	3195 @ 65	2910 @ 65	55	
NEW!	CLW21*	LT295/70R17	121/118Q	E	19	OWL	8.5	11.80	33.46	-	-	-
NEW!	CLW02*	LT315/70R17	121/118Q	D	20	OWL	9.5	12.80	34.49	-	-	-
NEW!	CLW22*	LT305/65R17	121/118Q	E	19	OWL	9.0	12.30	32.76	-	-	-
	CLW72	LT275/70R18	125/122Q	E	18	OWL	8.0	10.95	33.33	3640 @ 80	3305 @ 80	56
NEW!	CLW52*	LT305/70R18	126/123Q	E	19	OWL	9.0	12.50	34.96	-	-	-
	CLW40	LT275/65R18	123/120Q	E	18	OWL	8.0	10.90	32.30	3415 @ 80	3085 @ 80	55
NEW!	CLW54*	LT305/55R20	121/118Q	E	19	BLK	9.5	12.50	33.31	-	-	-
	CLW78	30X9.50R15LT	104 Q	C	17	OWL	7.5	10.10	29.30	1985 @ 50	-	37
	CLW44	31X10.50R15LT	109 Q	C	17	OWL	8.5	10.50	30.38	2270 @ 50	-	41
	CLW41	32X11.50R15LT	113 Q	C	17	OWL	9.0	11.40	31.30	2535 @ 50	-	45
	CLW33	33X12.50R15LT	108 Q	C	19	OWL	10.0	12.50	32.51	2205 @ 35	-	52
NEW!	CLW76*	35X12.50R15LT	113Q	C	20	OWL	10.0	12.20	34.72	-	-	-
	CLW93	33X12.50R17LT	114 Q	D	19	OWL	10.0	12.70	34.50	2600 @ 50	-	58
	CLW94	35X12.50R17LT	119 Q	D	18	OWL	9.8	12.67	32.85	3000 @ 50	-	63
NEW!	CLW65*	37X12.50R17LT	124P	D	21	BLK	10.0	13.10	36.69	-	-	-
NEW!	CLW71*	35X12.50R20LT	121Q	E	19	BLK	10.0	12.50	34.69	-	-	-

* Available 2nd Qtr 2014

Additional Tire Pictures



Tempra GT Radial



Tour Plus LST/LSH/LSV



Classic All Season



Tempra Radial SUV



Wild Spirit Radial AS



Wild Trail All Season



Grand Prix Performance GT

CONSUMER

Performance, Passenger, SUV, Light Truck



ON HIGHWAY COMMERCIAL

Radial & Bias Truck, ST Radial, Trailer



AGRICULTURAL & SKID STEER

Farm, Backhoe, Skid Steer & more



OFF-THE-ROAD

OTR Bias & Radial



SPECIALTY

Lawn & Garden, ATV, Forklift, Industrial



STEEL WHEELS

Truck, Trailer



“Where Value Meets the Road”...

Quality...Performance....
Coverage....Affordability...
at TBC Wholesale we understand what today's demanding drivers expect from their tires, whether on the Highway, off the Road, on the Job or in the Field. That's why our tires are designed and manufactured to consistently exceed those demands, mile after mile, job after job and season after season....all at a price that isn't demanding.

SHOP SUPPLIES



TIRE SERVICE EQUIPMENT



Take a look at our complete line of high quality passenger, SUV, Commercial, Farm and Specialty tires and we think you will agree. . . at TBC Wholesale, ***“Where Value meets the Road”*** isn't just a slogan....***it's our pledge to you.***



www.jetzontire.com

- Complete Product Information
- Jetzon News
- Online Tire Registration Feature
- Tire A-B-C's
- Downloadable Product Sheets



MEDIA PORTAL

— Secure Online Resource for Digital Library of Jetzon Material

- Tire Images
- Catalog Pages
- Product Information Sheets
- Warranty Brochures
- Archive Material



www.shopjetzontire.com

- Promotional & Advertising Material
- Point of Sale Product Material
- Wearables



www.treadxpress.com

- Now With An Enhanced User Experience!
- Complete Product Information
- Online Order Entry
- Inventory Availability Information



www.shopmatrixnt.com

- Complete One-stop Shop for all your Shop Supply Needs





TBCWholesale

Jetzon is the registered trademark of TBC Corporation
Distributed by TBC CORPORATION
4300 TBC Way, Palm Beach Gardens, FL 33410
Visit Our Website: www.jetzontire.com
1-866-822-4968